

TECHNICAL INFORMATION BULLETIN

ACETAMIPRID GROUP 4A INSECTICIDE



EPA Reg. No. 91234-14

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted by Section 2(ee) of FIFRA and has not been submitted to or approved by the U.S. Environmental Protection Agency.

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATES OF MAINE,
MARYLAND, MICHIGAN, NEW JERSEY**

Additional Use Directions for Blueberries

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This product bulletin must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for **ArVida™ 30 SG Insecticide** before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

PEST	APPLICATION RATE	USE INSTRUCTIONS
Spotted Winged Drosophila (SWD) Larvae	Apply 5.3 ounces (0.1 pound active ingredient) of this product per acre.	Begin applications when treatment threshold have been reached. Thorough coverage is important to obtain optimum control.

USE RESTRICTIONS:

- **Maximum applications:** 5 per season
- Do NOT apply more than once every 7 days.
- Pre-Harvest Interval (PHI) = 1 day
- Do NOT apply more than 26.7 ounces (0.5 pound active ingredient) per acre per season regardless of application method.



Manufactured for:
Atticus, LLC
940 NW Cary Parkway, Suite 200
Cary, NC 27513