

Contains mesotrione, the active ingredient used in Callisto®.



SELECTIVE HERBICIDE

Atticus



CAVALLO™ 4 SC

SUPERIOR BROADLEAF WEED CONTROL



Atticus Cavallo™ 4 SC is a selective herbicide that delivers superior contact and residual control of tough broadleaf weeds including velvet leaf, cocklebur, pigweed, sunflower and nightshades. It is an excellent tank-mix partner that is safe for application on labeled crops. Cavallo 4 SC is readily taken up by leaves, shoots or the roots offering a flexible pre- or post-emergence application window.

The highly selective HPPD inhibitor mode of action controls weeds resistant to glyphosate, ALS-inhibiting and triazine herbicides to ensure maximum yield potential in crops. It works to prevent the production of carotenoid which leads to plant death in broadleaf weeds.

Make Cavallo 4 SC an integral part of any weed management program where ease-of-use and outstanding broadleaf pest control are desired.

KEY BENEFITS

- Tough on weeds, but gentle on crops
- Flexible application window
- Superior broadleaf weed control
- Long-lasting residual control
- Excellent tank-mix partner

KEY USES

- Asparagus
- Soybean
- Cranberry
- Sugarcane
- Field corn
- Sweet corn
- Seed corn
- Yellow popcorn
- Sorghum

PRODUCT NOTES

EPA REGISTRATION NUMBER

91234-75

ACTIVE INGREDIENT

Mesotrione 40%

FORMULATION

Suspension concentrate

HRAC NUMBER

27

SIGNAL WORD

Caution

PACKAGE SIZE

4 x 1 gal

265 gal

RESTRICTED USE

No

Refer to label for specific use restrictions.



www.AtticusLLC.com

APPLICATION INFORMATION

Cavallo™ 4 SC can be applied by ground for pre- and post-emergence weed control.

In pre-emergent applications, weeds take up the product through the soil during weed emergence. Dry weather conditions can reduce pre-emergent effectiveness – at least 1/4-inch of rainfall must occur within 7 to 10 days of application; rotary hoeing activates Cavallo 4 SC.

In post-emergent applications, vulnerable weeds take up the product through treated foliage and stop growing soon after application. Cavallo 4 SC is absorbed by soil and/or through foliage of emerged weeds. Results may be reduced if applied to weeds that are under prolonged stress due to drought, heat, lack of fertility, flooding or prolonged cool temperatures. For best results, complete and uniform coverage is essential to actively growing weeds.

USE RESTRICTIONS

- DO NOT apply to white popcorn or ornamental (Indian) corn.
- DO NOT cultivate corn within seven days before or after application as weed control may be reduced.
- DO NOT apply through any type of irrigation system unless specified under the specific crop section of product label.
- DO NOT apply with suspension fertilizers as the carrier.
- DO NOT apply this product post-emergence in a tank-mix with emulsifiable concentrate grass herbicides, unless specifically directed under one of the tank-mix sections of this label, or crop injury can occur.
- DO NOT make aerial applications unless specified in the specific crop directions of product label.

KEY WEEDS

Amaranth
Cocklebur
Chickweed
Hemp
Horseweed
Kochia
Lambsquarter
Morning glory
Nightshade
Nutsedge
Pigweed
Ragweed
Sunflower
Velvetleaf
Waterhemp

(Refer to product label for complete list)