

Contains thiophanate-methyl, the active ingredient used in 3336® F.



FUNGICIDE

TALARIS™ 4.5 F

HIGH VALUE PLUS SUPERLATIVE DISEASE CONTROL

Talaris™ 4.5 F is a broad-spectrum fungicide which controls a variety of diseases in turf and ornamental crops. One of the most widely used fungicides in the world, thiophanate-methyl, the active ingredient in Talaris 4.5 F, works systemically to effectively protect turf and ornamentals.


The high-quality, flowable formulation of Talaris 4.5 F is easy to apply and is an excellent tank-mix partner. Talaris 4.5 F offers outstanding performance at an exceptional value.

KEY BENEFITS

- Offers broad-spectrum protection against a wide range of turf and ornamental diseases
- Excellent, easy-to-use formulation
- Consistent, economical control

KEY USES

- Annual and perennial flowers
- Bedding
- Containerized woody shrubs
- Herbaceous foliage plants
- Shrubs
- Trees
- Turfgrass
 - Residential or public areas
 - Golf course tees
 - Golf course fairways



PRODUCT NOTES

EPA REGISTRATION NUMBER

87373-10-91234

ACTIVE INGREDIENT

Thiophanate-methyl 46.2%

FORMULATION

Suspension Concentrate

FRAC NUMBER

1

SIGNAL WORD

Caution

PACKAGE SIZE

2 x 2.5 gal
265 gal

RESTRICTED USE

No

Refer to label for specific use restrictions.



www.AtticusLLC.com

APPLICATION INFORMATION

Apply Talaris 4.5 F with ground equipment in sufficient spray volume to provide thorough coverage.

GREENHOUSE, NURSERY AND LANDSCAPE APPLICATIONS

Apply 14 to 21 days before disease usually appears and at the very latest, at the first sign of disease. Spray intervals range from 7 to 14 days.

- Foliar spray rates: Use 8 to 20 fl oz per 100 gal of water, depending on target disease.
- Soil drench rates: Apply as a drench or directed spray using hand held, mechanical, or motorized spray equipment, or as a chemigation drench or directed spray using applicable sprinkler irrigation systems, after seeding or sticking of cuttings (8 fl oz) or after transplanting (12 to 16 fl oz) to propagation beds, containers, pots, trays, nursery or landscape beds at a rate to thoroughly soak the growing media through the root zone.
- Plant dip rates: Use 16 to 20 fl oz per 100 gal of water. Immerse plants or cuttings for 10 to 15 minutes; remove and allow to drain and dry.

TURF APPLICATIONS

Talaris 4.5 F can be applied to all cool- and warm-season grasses or their mixtures.

- **Rates:** Use 1.75 to 5.33 fl oz per 1,000 sq ft.

RESISTANCE MANAGEMENT

To avoid the development of tolerant strains of fungi, Talaris 4.5 F should be used with fungicides of different modes of action. Atticus does not recommend the use of products containing thiabendazole in combination or rotation with Talaris 4.5 F. These utilize similar chemistry and modes of action and can contribute to development of disease tolerance.

Refer to product label for complete application and mixing instructions.

17358 ©2022 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Talaris[™] 4.5 F is not manufactured or distributed by Cleary Chemicals, LLC, seller of 3336[®]. 3336[®] is a registered trademark of Nufarm Americas Inc. Talaris[™] is a trademark of Atticus, LLC.

KEY DISEASES

Anthracnose (basal, foliar)
Cankers
Diebacks
Dollar spot
Fusarium blight/patch
Large brown patch
Pink snow mold
Powdery mildew
Red thread
Rusts
Spring dead spot
Stripe smut
Summer patch
Zoysia patch

(Refer to product label for complete list)