FIFRA 24(c) Special Local Need Label (SLN)

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF UTAH EPA SLN No. $\mathrm{UT}^{-19-0001}$



For use in Safflower for Control of Russian Thistle & Kochia

This label expires and must not be distributed or used in accordance with this SLN registration after June 30, 2023 or until withdrawn, canceled or suspended.

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- These Use Directions MUST be in the possession of the user at the time of application.
- Read the "Limitation of Warranty and Liability" in the label booklet for EPA Reg. No. 91234-32 before using.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label for EPA Reg. No. 91234-32.

| Broadcast Rate % Organic Matter | Fl Oz. of Aquesta 4 F per Acre Soil Texture | | | | |
|---------------------------------|--|----------------------|-------------------|--------------------|-----------------|
| | Coarse | Medium pH 7.0-7.5 | Medium pH <7.0 | Fine pH 7.0-7.5 | Fine pH <7.0 |
| 1.5-3.0 % | Do not use | 2.5 fl. oz. | 3.0 fl. oz. | 3.5 fl. oz. | 4.0 fl. oz. |
| 3.0+ % | Do not use | 3.5 fl. oz. | 4.0 fl. oz. | 4.5 fl. oz. | 5.0 fl. oz. |

Refer to the full **Aquesta 4 F** label for information on soil types under the Coarse, Medium and Fine categories. **Application Instructions:**

Apply amount of **Aquesta 4 F** indicated above early preplant, preemergence or preplant incorporated prior to planting and up to three days after planting. If applying this product preplant incorporated, mix thoroughly or shallowly incorporate the **Aquesta 4 F** into the soil. Inconsistent weed control could result if product is incorporated deeper than the maximum incorporation depth of 2 inches. Moisture (in the form of rain or snow) should occur after application to move the product into the soil. If dry conditions persist, a shallow incorporation may be needed.

IMPORTANT:

- Planting less than 1 inch depth or inadequate seed furrow closure or poor growing conditions can cause adverse crop response.
- Read and follow all precautions, instructions, rotational crop guidelines, replanting instructions, and any other information on the full Aquesta 4 F label prior to use.
- Do not apply more than 0.25 lbs. sulfentrazone (8.0 fl. oz. product) per acre per 12 month period. The 12 month period starts at the point of first application.
- To prevent runoff of Aquesta 4 F from snowmelt or rain, do not apply Aquesta 4 F to soils that are frozen or have an existing snow cover.
- Do not use on soils that contain less than 1% organic matter (soils classified as "sand").
- Product is not to be incorporated any deeper than 2 inches.



5000 CentreGreen Way, Suite 100 Cary, NC 27513 984-465-4754