FUNGICIDE



PREVENTATIVE & CURATIVE DISEASE DEFENSE

When environmental conditions leave your crop susceptible to disease, use Acadia ESQ Fungicide for preventative and curative fungicidal control. Acadia ESQ Fungicide is an essential tool for growers trying to grow healthy crops and protect yield in a wide variety of crops. Acadia ESQ Fungicide can be applied as a foliar spray and is used in block, alternating spray or tank-mix programs. The combination of difenoconazole and azoxystrobin make this an excellent choice in integrated pest management programs. The active ingredients are rapidly dispersed throughout plants with translaminar activity of difenoconazole and systemic movement of azoxystrobin for optimal coverage and defense. Get early and late season protection and keep your yields strong with Acadia ESQ Fungicide.

KEY BENEFITS

- Optimal partner in disease management programs
- Fights resistance with dual modes of action

Rice

Tomatoes

• Rapid uptake and systemic properties

KEY USES

- Almonds
- Carrots Soybeans

Cranberry •

- Citrus
 Stone Fruit
- Ollida Ololic I Idi
- CottonSugar Beets
- Cucurbits



PRODUCT NOTES

EPA REGISTRATION NUMBER 91234-205

ACTIVE INGREDIENT

Azoxystrobin 18.2% Difenoconazole 11.4%

FORMULATION

Suspension Concentrate

FRAC NUMBER

11, 3

SIGNAL WORD

Caution

PACKAGE SIZE

2 x 2.5 gal

RESTRICTED USE

8888888888888

No

Refer to label for specific use restrictions.





APPLICATION INFORMATION

Application: Thorough coverage is necessary to provide good disease control. Make no more spray solution than is needed for application. Avoid spray overlap, as crop injury may occur.

Adjuvants: When an adjuvant is to be used with this product, the use of an adjuvant that meets the standards of the Chemical Producers and Distributors Association (CPDA) adjuvant certification program is advised.

Use of Adjuvants: Under certain weather conditions (particularly high temperatures) Acadia ESQ Fungicide in combination with high rates of silicone-based or oil containing (petroleum or crop) additives or adjuvants may cause injury. DO NOT exceed 0.125% adjuvant (v/v). Consult an Atticus, LLC representative for more information concerning additives or adjuvants.

Precaution: A tank mixture with Dimethoate may cause crop injury. On fresh market tomatoes, do not use adjuvants or tank mix Acadia ESQ Fungicide with any EC product.

INTEGRATED PEST MANAGEMENT

Acadia ESQ Fungicide needS to be integrated into an overall disease and pest management strategy whenever the use of a fungicide is required. Cultural practices known to reduce disease development need to be followed. Consult your local agricultural authorities for additional IPM strategies established for your area. Acadia ESQ Fungicide may be used in State Agricultural Extension advisory (disease forecasting) programs which advise application timing based on environmental factors favorable for disease development.

KEY DISEASES

Angular leaf spot Apple scab Ascocyta blight Black mold Black rot Blossom blight **Botrytis** Brooks fruit spot Brown rot Cedar-apple rust Downy spot Early blight Eastern filbert blight Flyspeck Fruit rot Gray leaf spot Gray mold Leaf blight Panicle blight Powdery mildew Quince rust Scab Shothole Sooty blotch

Target spot

(Refer to product label for complete list)

Refer to product label for complete application and mixing instructions.

©2020 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Acadia ESQ™ Fungicide is not manufactured, or distributed by Syngenta Crop Protection, LLC, seller of Quadris Top® and Quadris Top® SB. Quadris Top® and Quadris Top® SB are registered trademarks of Syngenta Group Company. Acadia™ is a trademark of Atticus, LLC.

