CYROMAZINE GROUP 17 INSECTICIDE





For Sciarid Fly Control in Mushrooms.

EPA Reg. No.: 91234-190

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See below for additional Precautionary Statements.

FIRST AID		
If on skin or	Take off contaminated clothing.	
clothing:	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
If inhaled:	Move person to fresh air.	
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-	
	to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice.	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
If swallowed:	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by the poison control center or doctor.	
	Do not give anything by mouth to an unconscious person.	
HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You		

For Chemical Emergency: Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)

may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information.

ATRATO SL™ is a trademark of Atticus, LLC



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through skin. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Do not breathe vapor. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers (mixers and loaders) must wear:

- Long sleeved shirt and long pants.
- Waterproof gloves
- · Socks and shoes

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENTS

When handlers use closed systems in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations Users should:

- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not, contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to lakes, streams, or ponds.

PHYSICAL OR CHEMICAL HAZARDS

Corrosive to tin. Do not mix or allow coming in contact with oxidizing agent. Hazardous chemical reaction may occur. **Combustible.** Do not use or store near heat or open flame. The flashpoint of this product is 118°F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.



AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection, Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and

greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PRE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Socks and shoes

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR INSECT CONTROL, AND/OR ILLEGAL RESIDUES.

PRODUCT INFORMATION

ATRATO SL insecticide contains the active ingredient, cyromazine, which is an insect growth regulator (IGR). When incorporated into mushroom compost or casing, **ATRATO SL** stops the development of sciarid fly larvae and prevents damage to the mushrooms and the mycelium growth. **ATRATO SL** has no useful contact activity, to sciarid fly larvae or adults. If large numbers of adult flies are initially present in the facility, use of a conventional contact insecticide is recommended around ventilators and other areas where flies congregate (refer to that product's label for further directions, precautions, and limitations).

RESISTANCE MANAGEMENT

Some insect pests are known to develop resistance to products after repeated use. Because resistance development cannot be predicted, the use of this product should conform to sound resistance management strategies established

for the crop land use area. Atticus, LLC encourages responsible product stewardship to ensure effective long-term control of the insects on this label.

For resistance management, **ATRATO SL** contains a Group 17 insecticide. Any insect population may contain individuals naturally resistant to **ATRATO SL** and other Group 17 insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of **ATRATO SL** or other Group 17 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.
- Use tank mixtures with insecticides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture. In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):
 - o Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
 - o Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.

(continued)



- o When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).
- o Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
- o The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.
- Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistancemanagement and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Atticus, LLC at 984-465-4754.

CROP USE DIRECTIONS APPLICATION INSTRUCTIONS

Application to Compost

Apply **ATRATO SL** when preparing the mushroom compost using a coarse drenching spray with low pressure to minimize the formations of mists. Apply in sufficient water to ensure thorough and uniform incorporation into the compost according to the rates in the following table. Additional incorporation may be accomplished using a spawning machine or similar equipment. These rates result in a concentration of 5 parts per million (ppm) of active ingredient in the compost on a wet weight basis (equal to 15 ppm on a dry weight basis).

Compost Wet Weight (67% moisture) lb/sq ft	Compost Dry Weight lb/sq ft	Rate of ATRATO SL fl oz/1,000 sq ft
12	4	19
14	4.5	22
15	5	24
17	5.5	26
18	6	28
20	6.5	31
21	7	33
23	7.5	35
24	8	38
26	8.5	40
27	9	43

Example: If applying **ATRATO SL** to a wet compost bed weighing 15 lb/sq ft, use 24 fl oz of **ATRATO SL** per 1,000 sq ft. Rates can also be figured on a compost dry weight basis (assuming 67% moisture) using the dry weight adjusted rate of 15 ppm.

Application to Casing

ATRATO SL can be applied as a single low-volume drench spray to the casing material. Apply at 14 or more days after the compost application at a rate of 5 ppm (3.0 fl oz/ton) to the casing material.

RESTRICTIONS

- Do not make more than two applications of ATRATO SL during a mushroom production cycle (one to the compost followed by one to the casing).
- Do not apply to the casing within 14 days of harvest.

Chemigation

Do not apply this product through any type of irrigation system.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal, or cleaning of equipment.

PESTICIDE STORAGE: Store in a tightly closed container in a cool, dry place. Store at temperatures above 32°F. Crystals may form at lower temperatures. If this occurs, place the product in a warm room (72°F or above) and shake the container at frequent intervals until all crystals are dissolved. Since this formulation contains water, it can also freeze solid at temperatures below 32°F. However, when reconstituted and crystals re-dissolve, product performance is not affected. Store in original container and out of reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinsate that cannot be used should be disposed of in a landfill approved for pesticides. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

For plastic containers ≤ 5 gallons: Nonrefillable Container: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

For plastic containers > 5 gallons: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Recap and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. To the extent consistent with applicable law, all such risks are assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

ATRATO SL™ is a trademark of Atticus, LLC F20191118a

