

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 1 of 12

SECTION 1: Identification

Product Identifier

Product Name: Eschaton TR

Product code: EPA Reg. No.: 91234-67

Recommended Use of the Chemical and Restrictions on Use:

Recommended Uses: Aerosol insecticide

Restrictions on Use: Any use other than specified above

Manufacturer or Supplier Details

Manufacturer:

United States

Atticus, LLC

940 NW Cary Parkway

Suite 200

Cary, North Carolina 27513

(984) 465-4754



Emergency Telephone Number:

For Chemical Emergency

CHEMTREC

1-800-424-9300 (24 hours)

+1-703-527-3887 (24 hours)

Collect calls accepted

For Emergency Medical Treatment Information

SAFETYCALL

1-844-685-9173 (24 hours)

SECTION 2: Hazard Identification

Classification of the chemical in accordance with paragraph (d) of § 1910.1200:

Aerosols, category 1

Specific target organ toxicity - single exposure, category 3, narcotic effects

Acute aquatic hazard, category 1

Chronic aquatic hazard, category 1

Label elements

Hazard Symbol(s):



Signal Word: Danger

Hazard statement(s):

H229 Pressurized container; may burst if heated

H222 Extremely flammable aerosol

H336 May cause drowsiness or dizziness

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statement(s):

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 2 of 12

Eschaton TR

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P261 Avoid breathing fumes, gas, mist, vapours or spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
P312 Call a poison center/doctor if you feel unwell.
P391 Collect spillage.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents and container in accordance with federal, state and local regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 153233-91-1	Etoxazole	5
CAS Number: 67-64-1	Acetone	48-50
CAS Number: 106-97-8	Butane	20-25
CAS Number: 74-98-6	Propane	20-25

Additional information:

NOTE: Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SECTION 4: First Aid Measures

Description of Necessary Measures

General Notes:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information. For Chemical Emergency: spill, leak, fire, exposure or accident, call CHEMTREC day or night within USA and Canada at 1-800-424-9300 or +1-703-527-3887 (collect calls accepted)
Show this Safety Data Sheet to the doctor in attendance

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

After Eye Contact:

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 3 of 12

Eschaton TR

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

After Ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Inhalation may have adverse effects on the central nervous system. Symptoms may include drowsiness, dizziness, headache, nausea and lowering of consciousness. Acute overexposure via inhalation may result in respiratory distress, confusion and unconsciousness

Delayed Symptoms and Effects:

Not determined or not applicable.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Immediate Medical Attention:

Overexposure via inhalation requires urgent medical treatment

Special Treatment:

No additional information.

Notes for the Doctor:

Treat symptomatically

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam

Unsuitable Extinguishing Media:

Do not use water jet

Specific Hazards Arising From The Chemical:

Thermal decomposition may produce irritating/toxic fumes/gases

Hazardous combustion products may include: Oxides of carbon and nitrogen, hydrogen chloride and fluoride, hydrogen bromide, halogenated compounds and hydrocarbons

Special Protective Equipment and Precautions for Fire-Fighters

Special Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode

Special precautions

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 4 of 12

Eschaton TR

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13)

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Acetone	67-64-1	PEL: 750 ppm
	Propane	74-98-6	8-Hour TWA-PEL: 1800 mg/m ³ (1000 ppm)
ACGIH	Acetone	67-64-1	Threshold Limit Value (TLV): 500 ppm
	Butane	106-97-8	15-Minute STEL: 1000 ppm
NIOSH	Butane	106-97-8	REL: 1900 mg/m ³ (800 ppm [up to a 10-hour workday during a 40-hour workweek])
	Butane	106-97-8	IDLH: 1600 ppm
	Propane	74-98-6	REL-TWA: 1800 mg/m ³ (1000 ppm [up to 10 hr])
	Propane	74-98-6	IDLH: 2100 ppm
United States(California)	Butane	106-97-8	8-Hour TWA-PEL: 1900 mg/m ³ (800 ppm)
	Propane	74-98-6	8-Hour TWA-PEL: 1800 mg/m ³ (1000 ppm)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 5 of 12

Eschaton TR

Individual Protection Measures, Such as Personal Protective Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical state	Liquid
Color	Colorless, clear
Odor (includes odor threshold)	Acetone-like
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flammability	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Flash point	Not determined or not available.
Auto-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
pH	5.70
Kinematic viscosity	0.40 cSt @ 40 °C
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Vapor pressure (includes evaporation rate)	Not determined or not available.
Density and/or relative density	0.81 g/mL @ 20 °C
Relative vapor density	Not determined or not available.
Particle characteristics	Not determined or not available.

Other Information

Flame extension	> 23 in. (> 58.42 cm)
-----------------	-----------------------

SECTION 10: Stability and Reactivity

Reactivity:

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 6 of 12

Eschaton TR

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions, including those associated with foreseeable emergencies:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Route	Result
Oral	LD50 Rat: > 5,000 mg/kg
Dermal	LD50 Rat: > 5,000 mg/kg
Inhalation	LC50 Rat: > 2.07 mg/L (4 hr [no mortality observed])

Substance Data:

Name	Route	Result
Acetone	oral	LD50 mouse: 3000 mg/kg
	inhalation	LC50 mouse: 444000 mg/m ³ (4 hrs)
Butane	inhalation	LC50 Rat: 658 mg/L (4 hr [vapor])
Propane	inhalation	LC50 Rat: >38,890 ppmV (4 hr [Gas])
Etoxazole	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
	inhalation	LC50 Rat: > 1.09 mg/L

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Slightly irritating

Substance Data:

Name	Result
Etoxazole	Non-irritant

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Slightly irritating

Substance Data:

Name	Result
Etoxazole	Non-irritant

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 7 of 12

Eschaton TR

Product Data:

Not a skin sensitizer

Substance Data:

Name	Result
Etoxazole	Not a dermal sensitizer

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Species	Result
Etoxazole		EPA: Not likely to be carcinogenic to humans

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Etoxazole	No evidence of mutagenicity

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Etoxazole	Evidence of increased qualitative offspring susceptibility in the rat reproduction study, but concern is low since offspring effects occur in the presence of parental toxicity.

Specific Target Organ Toxicity (Single Exposure)

Assessment:

May cause drowsiness or dizziness.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 8 of 12

Eschaton TR

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Interactive effects:

No additional information.

Other Information:

Information in this section is provided from a similar formulation.

SECTION 12: Ecological Information

Ecotoxicity

Acute (Short-Term) Toxicity

Assessment:

Very toxic to aquatic life.

Product Data: No data available.

Substance Data:

Name	Result
Butane	Fish LC50 Fresh water fish: 24.11 mg/L (96 hr [QSAR])
	Aquatic Invertebrates LC50 Daphnia sp.: 69.43 mg/L (48 hr [QSAR; mortality])
	Aquatic Plants EC50 Algae: 19.37 mg/L (96 hr [QSAR])
Etoxazole	Fish LC50 Sheepshead minnow: > 0.16 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 0.0071 mg/L (48 hr [mobility])
	Fish LC50 Rainbow trout: > 0.37 mg/L (96 hr)
	Aquatic Invertebrates EC50 Eastern oyster: 0.0011 mg/L (96 hr)
	Aquatic Plants EC50 Duckweed: > 0.056 mg/L
	Aquatic Plants EC50 Marine diatom: > 0.0519 mg/L (9 d)

Chronic (Long-Term) Toxicity

Assessment:

Very toxic to aquatic life with long lasting effects.

Product Data: No data available.

Substance Data:

Name	Result
Etoxazole	Aquatic Invertebrates NOEC Daphnia magna: 0.00013 mg/L (21 d [growth])
	Fish NOEC Rainbow trout: 0.015 mg/L (22 wk)
	Aquatic Invertebrates NOEC Mysid shrimp: 0.00032 mg/L (28 d)

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Butane	The substance is not readily biodegradable in water. 100% degradation in water, measured by test material analysis, after 16 days.
Etoxazole	Moderately persistent

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 9 of 12

Eschaton TR

Name	Result
Butane	The substance is not expected to bioaccumulate (estimated BCF: 40).
Propane	The substance is not expected to bioaccumulate (log Kow: 2.36).
Etoxazole	The substance has the potential to bioaccumulate significantly (BCF:10,000).

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
Butane	The substance is moderately mobile, therefore, there is moderate potential for adsorption to soil and sediment (log Koc: 2.89).
Propane	The substance is moderately mobile, therefore, there is moderate potential for adsorption to soil and sediment (estimated Koc: 463).
Etoxazole	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (Koc:5000).

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Other Adverse Effects: No additional information.

SECTION 13: Disposal Considerations

Disposal Methods:

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Do not contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging:

CONTAINER DISPOSAL: Nonrefillable and refillable containers. Refer to the product label for specific container disposal instructions.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	UN1950
UN Proper Shipping Name	Aerosols, flammable, N.O.S. (hydrocarbon propellant, etoxazole)
UN Transport Hazard Class(es)	2.1
 	
Packing Group	None
Environmental Hazards	Marine Pollutant
Special Precautions for User	None

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 10 of 12

Eschaton TR

Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.
-------------------------------	--

International Maritime Dangerous Goods (IMDG)

UN Number	UN1950
UN Proper Shipping Name	Aerosols, flammable, N.O.S. (hydrocarbon propellant, etoxazole)
UN Transport Hazard Class(es)	2.1
Packing Group	None
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	UN1950
UN Proper Shipping Name	Aerosols, flammable, N.O.S. (hydrocarbon propellant, etoxazole)
UN Transport Hazard Class(es)	2.1
Packing Group	None
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	Not Applicable
Ship Type	Not Applicable
Pollution Category	Not Applicable

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 11 of 12

Eschaton TR

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b):

67-64-1	Acetone	Listed
106-97-8	Butane	Not Listed
74-98-6	Propane	Not Listed
153233-91-1	Etoxazole	Not Listed

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA:

67-64-1	Acetone	Listed	5000 lbs
---------	---------	--------	----------

RCRA:

67-64-1	Acetone	Listed	U002
---------	---------	--------	------

Section 112(r) of the Clean Air Act (CAA):

106-97-8	Butane	Listed
74-98-6	Propane	Listed

Massachusetts Right to Know:

67-64-1	Acetone	Listed
106-97-8	Butane	Listed
74-98-6	Propane	Listed

New Jersey Right to Know:

67-64-1	Acetone	Listed
106-97-8	Butane	Listed
74-98-6	Propane	Listed

New York Right to Know:

67-64-1	Acetone	Listed
106-97-8	Butane	Listed
74-98-6	Propane	Listed

Pennsylvania Right to Know:

67-64-1	Acetone	Listed
106-97-8	Butane	Listed
74-98-6	Propane	Listed

California Proposition 65: None of the ingredients are listed.

Additional information: FIFRA: All pesticides are governed under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The regulatory information presented outside of this FIFRA section is pertinent only when this product is handled outside of normal use and application as a pesticide. This product is excluded from listing requirements under EPA/TSCA. The following is the hazard information as required on the pesticide label: PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.07.2026

Page 12 of 12

Eschaton TR

ANIMALS, CAUTION, Causes moderate eye irritation., Avoid contact with skin, eyes, or clothing., PHYSICAL OR CHEMICAL HAZARDS, Flammable., Contents under pressure. Keep away from heat, sparks and open flame. DO NOT puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting., This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly.

SECTION 16: Other Information

Disclaimer:

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. To the extent consistent with applicable law, neither Atticus, LLC nor Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ATTICUS, LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ATTICUS, LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Initial Preparation Date: 01.07.2026

End of Safety Data Sheet