



CONTAINS METHOXYFENOZIDE, THE ACTIVE INGREDIENT USED IN INTREPID® 2F.

OUTLASTING RESIDUAL PROTECTION & CONTROL OF LEPIDOPTERA

Inspirato™ 2 F is an insect growth regulator that protects almond, apple, peanut, citrus, and other crops from the feeding damage of Lepidopteran (moths, butterflies) insects. Active ingredient methoxyfenozide, a diacylhydrazine class of insecticide, uses a unique mode of action to target insects by mimicking the action of the molting hormone in larvae and causing a lethal premature molt. The selective nature of Inspirato 2 F allows growers to target harmful pests, while remaining gentle on beneficial insects, mites, and pollinators and is an ideal tool for Integrated Pest Management (IPM).

Inspirato 2 F is an excellent tank mix partner and is exceptionally rainfast, resisting wash-off as soon as the product dries. Flexible application and long-lasting residual control make it easy to save time and money between applications, securing yield and putting an end to troublesome lepidoptera problems.

KEY BENEFITS

- Long-lasting residual control
- Gentle on beneficial insects, mites and pollinators
- Excellent Tank-Mix partner
- Rainfast with outstanding resistance to wash-off
- No re-planting restrictions on wide-variety of registered crops

KEY USES

- Almonds
- Pecans
- Apples
- Peppers
- Grapes
- Pistachios
- Lettuce
- Tomatoes
- Oranges
- Walnuts

PRODUCT NOTES

EPA REGISTRATION NUMBER 91234-62

ACTIVE INGREDIENTMethoxyfenozide 22.6%

FORMULATIONSuspension Concentrate

IRAC NUMBER 18

SIGNAL WORD
Caution

PACKAGE SIZE 4 x 1 gal

RESTRICTED USE







SPANISH LABEL



PORTFOLIO



Bootstrapped and ready to serve, we deliver battle-tested chemistries and an experience like no other. Proud to be 100% American-owned, our mission is to help you every step of the way.





APPLICATION INFORMATION

Inspirato 2 F must be ingested by insect larvae to be fully effective. Applications must be in a manner that assures uniform and thorough coverage. Higher water volume and increased spray pressure generally provide better coverage.

Apply the amount specified in the following tables with properly calibrated aerial or ground spray equipment. Prepare only the amount of spray solution required to treat the measured acreage. Use the lower labeled rates for light infestations of the target lepidopteran species and the higher labeled rates for moderate to heavy infestations. Inspirato 2 F may be applied in either dilute or concentrate sprays so long as the application equipment is calibrated and adjusted to deliver thorough, uniform coverage. Use the specified amount of Inspirato 2 F per acre regardless of the spray volume used.

APPLICATION RATE REFERENCE TABLE		
Application Rate of Inspirato 2 F (fl oz/acre)	Active Ingredient Equivalent (Ib ai/acre)	Acres per Gallon of Inspirato 2 F
4	0.06	32
6	0.09	21
8	0.12	16
10	0.16	13
12	0.19	11
16	0.25	8
24	0.38	5

KEY INSECTS

Beet Armyworm

Cabbage Looper

Citrus Leafminer

Citrus Peelminer

Codling Moth (suppression only)

Cutworm

European Corn Borer

European Grapevine Moth

Fall Armyworm

Fall Webworm

Grape Berry Moth

Grape Leaf Folder

Leafroller

Lesser Appleworm

Naval Orangeworm

Orange Dog Worm

Orange Tortix

Oriental Fruit Moth

Peach Twig Borer

Redhumped Caterpillar

Southern Armyworm

Tomato Fruitworm (suppression only)

Tomato Hornworm

Tomato Pinworm

True Armyworm

Yellowstriped Armyworm

(Refer to product label for complete list)



