HERBICIDE



PROVEN CONTROL ON THE TOUGHEST WEEDS

For difficult to control weeds, turn to the proven and unrelenting power of Pemex® herbicide. Pemex's effective and versatile chemistry targets cocklebur, kochia, velvetleaf, nutsedge, crabgrass, and much, much more! Imazethapyr is an acetolactate synthase inhibitor, which kills susceptible weeds by root and/ or foliage uptake and rapid translocation to the growing points.

Use Pemex to bring weed relief to peanut, soybean, alfalfa, clover, peas and other crops. Pemex's flexible application timing on multiple crops means that you can get the long-lasting weed control you need, whether it be as a preplant, preemerge, or postemerge application. When applied postemerge, the product is translocated rapidly to the growing portions of weeds, where growth is stopped. This product has excellent compatibility with many other herbicides, allowing you to control some of the toughest weeds you face. The residual control of Pemex means weeds won't rob your crop of precious nutrient's moisture. Give your crops room to thrive with the power of Pemex.

KEY BENEFITS

- Tough control on broadleaf weeds and grasses
- Proven chemistry for long-lasting weed control
- Application flexibility and tank mix compatibility

KEY USES

- Alfalfa
- Beans
- Clover
- Peas and beans
- Peanuts
- Soybeans



PRODUCT NOTES

EPA REGISTRATION NUMBER 91234-168

ACTIVE INGREDIENT Imazethapyr 22.87%

FORMULATIONSoluble Liquid

HRAC NUMBER

SIGNAL WORD
Caution

PACKAGE SIZE 4 x 1 gal

RESTRICTED USE No







BEST PRACTICES

- For best results, sufficient moisture is necessary, which will allow Pemex to control and suppress listed weeds and also provide residual control of germinating weeds that are vulnerable to this product.
- For adequate control, Pemex must reach the weed germination zone, either by irrigation (overhead) or rainfall (typically sufficient to dampen soil 2 inches deep though actual amount depends on texture of soil, content of organic matter, and current soil moisture), or by cultivation (to contain escaped weeds), if soil does not get sufficient moisture within 7 days after treatment.
- For both ground and aerial application, take care to apply when drift potential to sensitive areas (threatened/endangered species habitats, water bodies, residential areas) or sensitive crops or nontarget plants is low.
- Make application when wind speed is 10 mph or less.
- When applying Pemex in a postemergent application, adjuvant (crop oil concentrate or surfactant) and a liquid fertilizer (nitrogen-based) are required to be added to the spray mixture.

AERIAL APPLICATION

- Application of Pemex can be made aerially to listed crops, unless otherwise specified in this label. When applying aerially, observe the following:
- Apply in at least 5 gallons of water per acre.
- Make certain that application equipment is correctly calibrated.
- When applying postemergence, include fertilizer and adjuvant in the spray mix.

GROUND APPLICATION

- When applying by ground, observe the following
- Apply in at least 10 gallons of water (20 gallons to minimum till or no till systems)
 per acre if vegetation or crop residue is dense use a greater spray volume.
- Make certain that application equipment is correctly calibrated.
- For optimum results, maintain a spray pressure of 20 to 40 PSI.
- Make certain that weed foliage is adequately covered (adjust boom height as necessary).
- For postemergent applications use flat fan nozzle tips.
- Do not overlap sprays.

Refer to product label for complete application and mixing instructions.

©2019 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Pemex[™] is not manufactured, or distributed by BASF Corporation, seller of Pursuit[®]. Pursuit[®] is a registered trademark of BASF Corporation. Pemex[™] is a trademark of Atticus, LLC.

Atticus

KEY WEEDS

Balloon Vine

Buffalobur Cocklebur Copperleaf, Hophornbeam Croton, Woolly Devil's Claw **Eclipta** Groundcherry Jimsonweed Kochia Morningglory, Cypressvine Morningglory, Entireleaf Morningglory, Ivyleaf Morningglory, Purple Nightshade, Black Nightshade, Eastern Black Nightshade, Hairy Pigweed, Palmer Amaranth Pigweed, Redroot Pigweed, Smooth Prickly Sida **Puncturevine** Ragweed, Common Ragweed, Giant Smellmelon Spurge, Prostrate Spurge, Spotted Spurge, Toothed Sunflower, Common Tropic Croton Velvetleaf Waterhemp, Common Waterhemp, Tall Wild Poinsettia

(Refer to product label for complete list)