#### **INSECTICIDE**





For an optimal solution against aphids in potato, celery, pecan, watermelon and other crops, turn to Seville™. Seville moves through translaminar and locally systemic activity, quickly dispersing through treated plant tissues. Upon ingestion, Seville stops aphids from feeding within a few hours, and results in death within 4-10 days. This insecticide has minimal impact on beneficial insects and up to two weeks of residual activity. Finally, by controlling aphids, Seville reduces the transmission of harmful plant diseases. Get ahead at the first signs of aphids with Seville.

# **KEY BENEFITS**

- Upon ingestion, works quickly by inhibiting insect feeding
- Unique mode of action helps prevent insect resistance
- Stops aphids from feeding in all life stages
- Compatible with beneficial insects

**CONTROL** 

# **KEY USES**

- Celery
- Tobacco
- Cotton
- Tree Nuts
- Hops
- Vegetables
- Pecans

**Potatoes** 

Watermelon

















## **PRODUCT NOTES**

**EPA REGISTRATION NUMBER** 91234-96

**ACTIVE INGREDIENT**Pymetrozine 50%

**FORMULATION**Water Dispersible Granule

IRAC NUMBER 9B

SIGNAL WORD
Caution

PACKAGE SIZE 6 x 27.5 wt oz

RESTRICTED USE

Refer to label for specific use restrictions.





#### **APPLICATION INFORMATION**

## **Ground Spray Equipment**

Use sufficient water to provide thorough, uniform coverage. Use sprayer nozzles that provide accurate, uniform application and medium-sized droplets. Calibrate sprayer from manufacturer's instructions or state's specifications to ensure delivery of adequate spray volume per unit area. Applications using sufficient water volume to provide thorough and uniform coverage will provide the most effective aphid pest control. For ground applications, use the minimum spray volume indicated in the 'crop use directions' section of the label. In situations where a dense canopy exists and/or aphid infestations are high, use greater water volumes.

# **Aerial Application**

Apply Seville in water, using the minimum spray volume indicated in the 'crop use directions' section of the label. Increase spray volume under adverse conditions (i.e., high temperature, low relative humidity, dense plant canopy). Do not apply under conditions where uniform coverage cannot be obtained or where excessive spray drift or inversion may occur. Do not apply directly to humans or animals.

#### **Spray Drift Precautions**

As with all crop protection products, it is important to avoid off-target movement. Do not allow spray to drift onto adjacent land or crops. Follow these instructions to avoid spray drift.

- Do not apply when wind velocity exceeds 15 mph. Do not make applications when wind gusts approach 15 mph.
- Do not spray when conditions are favorable for drift (high temperatures, low relative humidity, drought) Do not apply during temperature inversions. If an inversion condition is suspected, consult with local weather services before making an application.
- Use the largest droplet size consistent with good pest control. Small droplets are
  more prone to spray drift, and can be minimized by appropriate nozzle selection,
  by orienting nozzles away from the air stream as much as possible, and by avoiding
  excessive spray boom pressure.
- Apply as close to target plants as practical to obtain a good spray pattern for adequate coverage. Do not make applications more than 10 ft. above the crop canopy.
- For aerial applications, mount the spray boom on the aircraft so as to minimize drift caused by wing tip vortices. The minimum practical boom length must be used and must not exceed 75% of wing span or rotor diameter.

Refer to product label for complete application and mixing instructions.

©2019 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Seville<sup>TM</sup> is not manufactured, or distributed by Syngenta Crop Protection, LLC, seller of Fulfill<sup>®</sup>. Fulfill<sup>®</sup> is a registered trademark of a Syngenta Group Company. Seville<sup>TM</sup> is a trademark of Atticus, LLC.

# **Atticus**

#### **KEY INSECTS**

Asparagus aphid Bean aphid Bird cherry-oat aphid Black pecan aphid Blackmargined aphid Buckthorn aphid Cabbage aphid Corn leaf aphid English grain aphid Green peach aphid Hop aphid Lettuce aphid Melon/cotton aphid Pea aphid Potato aphid Potato psyllid Red lettuce aphid Tobacco aphid Turnip aphid Yellow pecan aphid

(Refer to product label for complete list)