

### Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 1 of 12

#### SECTION 1: Identification

##### Product Identifier

**Product Name:** Talaris 50 WSP

**Product code:** EPA Reg. No.: 87373-5-91234

##### Recommended Use of the Chemical and Restrictions on Use:

**Recommended Uses:** Water-soluble powder fungicide

**Restrictions on Use:** Any use other than specified above

##### Manufacturer or Supplier Details

###### Manufacturer:

###### United States

Atticus, LLC

940 NW Cary Parkway

Suite 200

Cary, North Carolina 27513

(984) 465-4754

##### Emergency Telephone Number:

###### For Chemical Emergency

CHEMTREC

1-800-424-9300 (24 hours)

+1-703-527-3887 (24 hours)

Collect calls accepted

###### For Emergency Medical Treatment Information

SAFETYCALL

1-844-685-9173 (24 hours)



#### SECTION 2: Hazard Identification

##### Classification of the chemical in accordance with paragraph (d) of § 1910.1200:

Eye irritation, category 2B

Carcinogenicity, category 1A

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Specific target organ toxicity - repeated exposure, category 1

Acute aquatic hazard, category 1

Chronic aquatic hazard, category 1

##### Label elements

##### Hazard Symbol(s):



**Signal Word:** Danger

##### Hazard statement(s):

H320 Causes eye irritation

H350 May cause cancer if inhaled.

H335 May cause respiratory irritation

H372 Causes damage to organs by repeated or prolonged exposure.

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 2 of 12

### Talaris 50 WSP

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

#### Precautionary Statement(s):

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, protective clothing and eye protection.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not inhale dust.

P264 Wash any exposed skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P308+P313 If exposed or concerned: Get medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents and container in accordance with federal, state and local regulations.

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 23564-05-8	Thiophanate-methyl	50
CAS Number: 13463-67-7	Titanium Dioxide	0.1-2.5
CAS Number: 14808-60-7	Silicon dioxide	0.5-1

#### Additional information:

NOTE: Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### SECTION 4: First Aid Measures

#### Description of Necessary Measures

##### General Notes:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information. For Chemical Emergency: spill, leak, fire, exposure or accident, call CHEMTREC day or night within USA and Canada at 1-800-424-9300 or +1-703-527-3887 (collect calls accepted)  
Show this Safety Data Sheet to the doctor in attendance

##### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 3 of 12

### Talaris 50 WSP

respiration. If experiencing respiratory symptoms, seek medical advice/attention

#### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

#### After Eye Contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

#### After Ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

### Most Important Symptoms and Effects, Both Acute and Delayed

#### Acute Symptoms and Effects:

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing

#### Delayed Symptoms and Effects:

Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time)  
Causes damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time)

### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

#### Immediate Medical Attention:

If respiratory symptoms persist, seek medical attention

#### Special Treatment:

No additional information.

#### Notes for the Doctor:

Treat symptomatically

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam

#### Unsuitable Extinguishing Media:

Do not use water jet

### Specific Hazards Arising From The Chemical:

Thermal decomposition may produce irritating/toxic fumes/gases

Hazardous combustion products may include: oxides of carbon, nitrogen and sulfur

### Special Protective Equipment and Precautions for Fire-Fighters

#### Special Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode

#### Special precautions

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 4 of 12

### Talaris 50 WSP

may cause pollution

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided

### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13)

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 15 mg/m <sup>3</sup> ([total dust])
	Silicon dioxide	14808-60-7	PEL: 0.1 mg/m <sup>3</sup> (Vacated)
	Silicon dioxide	14808-60-7	PEL: 50 ug/m <sup>3</sup> (TWA)
ACGIH	Titanium Dioxide	13463-67-7	TLV-TWA: 10 mg/m <sup>3</sup> ([total dust])
	Silicon dioxide	14808-60-7	TLV-TWA: 0.025 mg/m <sup>3</sup>
NIOSH	Silicon dioxide	14808-60-7	IDLH: 50 mg/m <sup>3</sup>
	Silicon dioxide	14808-60-7	REL: 0.05 mg/m <sup>3</sup> (TWA)

### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 5 of 12

### Talaris 50 WSP

dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Individual Protection Measures, Such as Personal Protective Equipment

##### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

##### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

##### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

Physical state	Powder
Color	Off-white
Odor (includes odor threshold)	Faint sulfur
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flammability	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Flash point	Not determined or not available.
Auto-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
pH	7.5 - 8.5 (1% aq.)
Kinematic viscosity	Not determined or not available.
Solubilities	Soluble
Partition coefficient (n-octanol/water)	Not determined or not available.
Vapor pressure (includes evaporation rate)	Not determined or not available.
Density and/or relative density	16-18 lbs/cu. ft.
Relative vapor density	Not determined or not available.
Particle characteristics	Not determined or not available.

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 6 of 12

### Talaris 50 WSP

#### Other Information

No additional information.

### SECTION 10: Stability and Reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical Stability:

Stable under recommended handling and storage conditions.

#### Possibility of hazardous reactions, including those associated with foreseeable emergencies:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible Materials:

Strong oxidizing agents

#### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological Information

#### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

Route	Result
Oral	LD50 Rat: > 5,000 mg/kg
Dermal	LD50 Rat: > 5,050 mg/kg
Inhalation	LC50 Rat: > 2.32 mg/L (4 hr [no mortalities])

#### Substance Data:

Name	Route	Result
Titanium Dioxide	oral	LD50 Rat: > 10,000 mg/kg
Thiophanate-methyl	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
	inhalation	LC50 Rat: 1.7 mg/L (4 hr [dust])

#### Skin Corrosion/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

Slightly irritating

#### Substance Data:

Name	Result
Thiophanate-methyl	Non-irritant

#### Serious Eye Damage/Irritation

#### Assessment:

Causes eye irritation.

#### Product Data:

Minimally irritating

#### Substance Data:

Name	Result
------	--------

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 7 of 12

### Talaris 50 WSP

Name	Result
Thiophanate-methyl	Slight irritation

#### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

Not a skin sensitizer

**Substance Data:**

Name	Result
Thiophanate-methyl	May cause an allergic skin reaction.

#### Carcinogenicity

**Assessment:**

May cause cancer.

**Product Data:** No data available.

**Substance Data:**

Name	Species	Result
Thiophanate-methyl		Suspected of causing cancer.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Titanium Dioxide	Group 2B
Silicon dioxide	Group 1

#### National Toxicology Program (NTP):

Name	Classification
Silicon dioxide	Known to be human carcinogens

#### OSHA Carcinogens:

Ingredient Name	CAS	OSHA Carcinogens Status
Silicon dioxide	14808-60-7	Yes

#### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
Thiophanate-methyl	No evidence of reproductive toxicity.

#### Specific Target Organ Toxicity (Single Exposure)

**Assessment:**

May cause respiratory irritation.

**Product Data:**

No data available.

**Substance Data:** No data available.

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 8 of 12

### Talaris 50 WSP

#### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:**

Causes damage to organs through prolonged or repeated exposure.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
Titanium Dioxide	Causes damage to eyes, skin, respiratory system, and gastrointestinal tract through prolonged or repeated exposure.
Thiophanate-methyl	Effects were seen on liver and thyroid in animal testing.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

#### Information on Likely Routes of Exposure:

No data available.

#### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

**Interactive effects:**

No additional information.

**Other Information:**

Information in this section is provided from a similar formulation.

### SECTION 12: Ecological Information

#### Ecotoxicity

##### Acute (Short-Term) Toxicity

**Assessment:**

Very toxic to aquatic life.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Thiophanate-methyl	Aquatic Invertebrates EC50 Daphnia magna: 5.4 mg/L (48 hr)
	Aquatic Invertebrates LC50 Mysid shrimp: 1.1 mg/L (96 hr)
	Fish LC50 Rainbow trout: 1.32 mg/L (96 hr)

##### Chronic (Long-Term) Toxicity

**Assessment:**

Very toxic to aquatic life with long lasting effects.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Thiophanate-methyl	Fish NOEC Rainbow trout: 0.011 mg/L

#### Persistence and Degradability

**Product Data:** No data available.

**Substance Data:**

Name	Result
Thiophanate-methyl	The substance is not readily biodegradable in water. 4% degradation in water, measured by oxygen consumption, after 28 days.



## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 9 of 12

### Talaris 50 WSP

#### Bioaccumulative Potential

**Product Data:** No data available.

##### Substance Data:

Name	Result
Thiophanate-methyl	The substance is not expected to bioaccumulate (log Kow <=3).

#### Mobility in Soil

**Product Data:** No data available.

##### Substance Data:

Name	Result
Thiophanate-methyl	The substance is moderately mobile, therefore, there is moderate potential for adsorption to soil and sediment (Koc: 134 L/kg).

#### Results of PBT and vPvB assessment

##### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

##### Substance Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Other Adverse Effects:** No additional information.

### SECTION 13: Disposal Considerations

#### Disposal Methods:


PESTICIDE DISPOSAL: Pesticide wastes are toxic. Do not contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Contaminated packaging:

CONTAINER DISPOSAL: Nonrefillable and refillable containers. Refer to the product label for specific container disposal instructions.

### SECTION 14: Transport Information

#### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	UN3077
UN Proper Shipping Name	Environmentally hazardous substance, solid, N.O.S., RQ (thiophanate-methyl)
UN Transport Hazard Class(es)	9 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
Reportable Quantity	10 lbs (20 lbs of product)
Excepted Quantities	< 20 lbs (9.07 kg) in strong outer packaging

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)


Initial Preparation Date: 01.19.2026

Page 10 of 12


### Talaris 50 WSP

<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.
-------------------------------	--

### International Maritime Dangerous Goods (IMDG)

<b>UN Number</b>	UN3077
<b>UN Proper Shipping Name</b>	Environmentally hazardous substance, solid, N.O.S. (thiophanate-methyl)
<b>UN Transport Hazard Class(es)</b>	9 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	Marine Pollutant
<b>Special Precautions for User</b>	None
<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN Number</b>	UN3077
<b>UN Proper Shipping Name</b>	Environmentally hazardous substance, solid, N.O.S. (thiophanate-methyl)
<b>UN Transport Hazard Class(es)</b>	9 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	Marine Pollutant
<b>Special Precautions for User</b>	None
<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

<b>Bulk Name</b>	Not Applicable
<b>Ship Type</b>	Not Applicable

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 11 of 12

Talaris 50 WSP

Pollution Category	Not Applicable
--------------------	----------------

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:**

23564-05-8	Thiophanate-methyl	Listed
------------	--------------------	--------

**CERCLA:** None of the ingredients are listed.

**RCRA:**

23564-05-8	Thiophanate-methyl	Listed	U409
------------	--------------------	--------	------

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:**

13463-67-7	Titanium Dioxide	Listed
14808-60-7	Silicon dioxide	Listed

**New Jersey Right to Know:**

13463-67-7	Titanium Dioxide	Listed
14808-60-7	Silicon dioxide	Listed
23564-05-8	Thiophanate-methyl	Listed

**New York Right to Know:**

13463-67-7	Titanium Dioxide	Listed
14808-60-7	Silicon dioxide	Listed

**Pennsylvania Right to Know:**

13463-67-7	Titanium Dioxide	Listed
14808-60-7	Silicon dioxide	Listed

**California Proposition 65:**

**⚠ WARNING:** This product can expose you to Crystalline silica (Quartz); which is known to the State of California to cause cancer; and methyl N-[[2-(methoxycarbonylcarbamothioylamino)phenyl]carbamothioyl]carbamate, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Additional information:** FIFRA: All pesticides are governed under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The regulatory information presented outside of this FIFRA section is pertinent only when this product is handled outside of normal use and application as a pesticide. This product is excluded from listing requirements under EPA/TSCA. The following is the hazard information as required on the pesticide label: PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS, CAUTION, Causes moderate eye irritation., Harmful if inhaled, swallowed or absorbed through skin., Avoid contact with skin, eyes or clothing., Avoid breathing vapor or spray mist., Wash thoroughly with soap and water after handling., ENVIRONMENTAL HAZARDS, Toxic to fish., Toxic to aquatic invertebrates., Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas., Do not contaminate water by disposing of equipment washwaters or rinsate., Avoid direct application and/or spray drift to bee hives.

## Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2026

Page 12 of 12

**Talaris 50 WSP**

### SECTION 16: Other Information

#### Disclaimer:

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. To the extent consistent with applicable law, neither Atticus, LLC nor Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ATTICUS, LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ATTICUS, LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Initial Preparation Date: 01.19.2026

**End of Safety Data Sheet**