

TECHNICAL INFORMATION BULLETIN

SULFOSULFURON GROUP 2 HERBICIDE



EPA Reg. No. 91234-119

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted by Section 2(ee) of FIFRA and has not been submitted to or approved by the U.S. Environmental Protection Agency.

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATES OF ALABAMA, ARKANSAS, COLORADO, DELAWARE, FLORIDA, GEORGIA, ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY, LOUISIANA, MARYLAND, MISSISSIPPI, MISSOURI, NEBRASKA, NORTH CAROLINA, OHIO, SOUTH CAROLINA, SOUTH DAKOTA, TENNESSEE, VIRGINIA, WEST VIRGINIA AND WYOMING

FOR CONTROL OF ANNUAL SEDGES IN NONCROP, PASTURE AND RANGELAND

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This product bulletin must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for **Cryder™** before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label when using **Cryder™** alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.

Weeds Controlled

| Crops | Common Name | Scientific Name | Use Rate Per Acre |
|----------------------------------|---|---|-------------------|
| Non Crop Pasture Rangeland | Kylinga, False Green Kylinga, Fragrant Kylinga, Green Sedge, Globe Sedges, Annual | <i>Kylinga gracilima</i> <i>Kylinga sesquiflorus</i> <i>Kylinga brevifolia</i> <i>Cyperus croceus</i> <i>Cyperus app.</i> | 1 to 1.3 oz |

Special Use Instructions

See container label for tolerant pasture and rangeland grasses.

Add nonionic surfactant to a concentration of 0.25 to 0.5 percent by volume. Use only nonionic surfactants that contain at least 90 percent active ingredient.

A follow-up application can be made after suitable regrowth of weeds but no sooner than 40 days after the previous application.

Best results are obtained when weeds are actively growing and not distributed by mowing for at least 14 days before and 14 days after application.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of Indiana Chemist.



Manufactured for:
Atticus, LLC
940 NW Cary Parkway, Suite 200
Cary, NC 27513