

EPA Reg. No. 91234-247

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted by Section 2(ee) of FIFRA and has not been submitted to or approved by the U.S. Environmental Protection Agency.

INTENDED FOR AGRICULTURAL OR COMMERCIAL USE ON SPECIFIED LABELED CROPS ONLY

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATES OF FL, GA, NC, SC, TN, VA

Curcurbits, Fruiting Vegetables

This product bulletin contains new or additional directions for use which are recommended by Atticus, LLC under FIFRA Section 2(ee)

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This product bulletin must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for Antik™ EC before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

CROP	PEST	RATE OF APLICATION (For control of weeds)
Cucurbits, Fruiting Vegetables	Annual and perennial broadleaf weeds (see section 3 label for specific weeds controlled)	0.5 to 2.0 fl. oz (0.088 to 0.031 pounds active ingredient) per acre

Apply **Antik EC** alone or with other herbicides or liquid fertilizers as a burn-down treatment **no later than 7 days prior to planting of labeled crops** to control or suppress problem weeds. **Antik EC** may be used as a burn-down treatment for previous crops prior to new planting. Apply **Antik EC** alone at rates up to 2.0 fl. ozs. (0.031 pound active ingredient) per acre or at 0.5 to 1.0 fl. ozs. (0.088 to 0.016 pound active ingredient) per acre in combination with labeled glyphosate or other post emergence or burndown products.

For optimum performance, make applications to actively growing weeds up to 4 inches in height or rosettes less than 3 inches across. Coverage is essential for good control. When applying **Antik EC** into plastic mulch prior to planting, care must be taken to remove residues from the plastic prior to planting. A single 0.5 inch water event, either by natural rainfall or sprinkler irrigation and a 7 day interval between application and planting is required to remove residues.

RESTRICTIONS:

Do not apply more than 0.096 pounds active ingredient per acre per season (6.1 fl. ozs. per acre) of **Antik EC**.

Refer to respective tank-mix partner labels and follow the most restrictive labeling regarding plant back restrictions, rotational guidelines, methods of applications, and surfactant requirements of the tank mixture components.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions for use, restrictions, worker protection standard requirements, and precautions on the EPA registered main label attached to the container of **Antik™ EC (EPA Reg. No. 91234-247).**

Use information in accordance with Section 2(ee) of FIFRA



Manufactured for:
Atticus, LLC
940 NW Cary Parkway, Suite 200
Cary, NC 27513

Antik[™] EC is a trademark of Atticus, LLC
Aim® is a registered trademark of FMC Corporation or an affiliate.

09192022