

Contains propiconazole, the active ingredient used in Banner Maxx®.

FUNGICIDE



LASTING PREVENTATIVE DISEASE PROTECTION

Planning is essential for protecting your turf throughout the season. Add Gunner™ 14.3 MEC Fungicide to any preventative disease program for excellent control and prevention of over 20 of the most harmful turf diseases. The active ingredient, propiconazole, enters through roots and stems to inhibit cell growth and prevent disease. Apply before disease development to stay ahead of disease pressure and maintain healthy turf. Gunner 14.3 MEC Fungicide has excellent tank mix compatibility and can control certain diseases for up to 28 days. Gunner 14.3 MEC Fungicide also controls numerous diseases on ornamentals and other landscape and nursery plantings including powdery mildews, rusts, leafspots, scabs, and blights.

KEY BENEFITS

- Systemic fungicide with broad-spectrum control
- Immediate and long-lasting control up to 28 days
- Highly compatible, excellent tank-mix partner
- Easy-to-use, low-odor formulation
- Quick, efficient absorption for thorough coverage

KEY USES

- Turf
- Golf
- Nurseries
- Ornamentals
- Non-bearing Fruits & Nuts

Refer to label for specific use restrictions.



PRODUCT NOTES

EPA REGISTRATION NUMBER

91234-262

ACTIVE INGREDIENT

Propiconazole 14.3%

FORMULATION

Microemulsion Concentrate

FRAC NUMBER

03

SIGNAL WORD

Warning

PACKAGE SIZE

4 x 1 gal
2 x 2.5 gal
8 x 1 qt

RESTRICTED USE

No



Relevant. Simple. Reliable.

APPLICATION INFORMATION

For optimal results, apply with sufficient water to ensure thorough coverage and apply after mowing or allow product to dry completely before mowing. For broader spectrum control, Gunner 14.3 MEC Fungicide can be tank mixed with other fungicides. For best results, apply before disease development. It is recommended to use higher rate with shorter intervals when under high disease pressure.

MIXING INSTRUCTIONS

Fill the spray tank 1/2 – 3/4 full with water. Add the proper amount of Gunner 14.3 MEC and then add the rest of the water. Provide sufficient agitation during mixing and application to maintain a uniform emulsion.

If Gunner 14.3 MEC Fungicide is tank mixed with other products, use the following sequence:

1. Always check the compatibility of the tank mix using a jar test with proportionate amounts of Gunner 14.3 MEC Fungicide, other chemicals to be used, and the water, before mixing in the spray tank.
2. Provide sufficient jet or mechanical agitation during filling and application to keep the tank mix uniformly suspended.
3. Fill tank at least 1/2 full of clean water.
4. Add wettable powders to the tank first, allowing them to completely suspend in the tank before proceeding. This process can be hastened by premixing the product in water before adding to the tank.
5. Add flowables or suspensions next.
6. Add Gunner 14.3 MEC Fungicide next.
7. Add emulsifiable concentrates last.
8. Do not leave tank mix combinations in the spray tank for prolonged periods without agitation. Mix and apply them the same day.

KEY DISEASES

Anthracnose
Brown Patch
Conifer Blights
Dichondra Rust
Dollar Spot
Flower Blight
Fusarium Patch
Gray Leaf Spot
Leaf Blights/Spots
Melting Out Leaf Spot
Necrotic Ring Spot
Powdery Mildew
Red Thread
Rust
Snowmold
Spring Dead Spot
Stripe Smut
Summer Patch
Take-All Patch
Yellow Patch
Zoysia Patch

(Refer to product label for complete list)

Refer to product label for complete application and mixing instructions.

©2023 Atticus. Important: Always read and follow label instructions. Gunner™ 14.3 MEC Fungicide is not manufactured or distributed by Syngenta Group Company, Inc., seller of Banner Maxx®. Banner Maxx® is a trademark of Syngenta Group Company. Gunner™ is a trademark of Atticus, LLC.