INSECTICIDE





Savitri™ Ant Gel contains indoxacarb, a highly effective active ingredient in an easy to apply syringe for control of most species of ants, including all sweet feeder ants. Approved to treat indoor and outdoor ant infestations, this highly attractive insecticide contains food-grade inert carriers, high-performance attractants, and carbohydrates - a winning combination that ants find hard to resist. Savitri Ant Gel begins controlling within 24 hours, giving ants enough time to carry the bait back to their colony and to contaminate the others. The gel bait is odorless and non-staining, leaving no messy residue behind. Help your customers take control and effectively deal with infestations with Savitri Ant Gel.

KEY BENEFITS

- Controls over 17 ant species
- EPA approved for both indoor and outdoor use
- Easy to apply, ready-to-use packaging
- · High-preforming formulation with long-lasting results

KEY USES

Indoor & Outdoor:

- Commercial sites
- Industrial sites
- Residential sites



PRODUCT NOTES

EPA REGISTRATION NUMBER 91234-261

ACTIVE INGREDIENT Indoxacarb 0.05%

FORMULATION Gel

IRAC NUMBER

SIGNAL WORD
Caution

PACKAGE SIZE 24 x 4 x 30 gram

RESTRICTED USE

Refer to label for specific use restrictions.





INDOOR AREA APPLICATION DIRECTIONS

Inspect infested areas carefully to determine overall infestation levels, locations of foraging, nesting areas, and most appropriate application points.

Indoor applications include cracks and crevices along walls or floors, behind or under equipment or appliances, under tables, within framing of tables or furniture, around sinks, within or near garbage collection areas, attics, crawl spaces, and cracks and crevices in cabinets. Applications may also be made between different elements of construction, behind baseboards or molding, at openings into voids, and within hollow spaces in equipment bases and legs, and ceilings, cabinets and near sinks or stoves, and in bathrooms. Apply bait on horizontal surfaces, as bait will not adhere well to vertical surfaces.

Apply Savitri Ant Gel as spots of gel or small lines of gel. Placements or spots or lines of Savitri Ant Gel should be to active foraging trails, nest sites, or to areas known to be active. Apply 0.1 to 1.0 gram spots of Savitri Ant Gel or spots approximately 1/4" in diameter. Apply lines of Savitri Ant Gel that are approximately 1/8" wide and 2" long; up to 3" long for highly active foraging trails. Apply as many placements of Savitri Ant Gel as possible to active foraging areas without disrupting the natural foraging behavior of ants. At the entrance to ant harborage areas, inject up to 2.0 grams of bait directly into the nest entrance.

Inspect applications periodically for consumption/activity and apply additional bait as needed. Reapply bait in the same location if all the bait is gone or in a different area if no ant activity is evident.

FOOD/FEED HANDLING AREA APPLICATION DIRECTIONS

Application to food/feed areas of food/feed handling establishments may only be made as a crack and crevice treatment and applications may be made while the facility is in operation. Apply Savitri Ant Gel directly into cracks and crevices by placing the bait dispenser tip into cracks, crevices, holes and similar openings where ants are found or are entering. Food/feed handling areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/ feed area when food is exposed, and facility is in operation. Use good application practice to avoid movement of Savitri Ant Gel to exposed surfaces used for food preparation.

FOOD/FEED HANDLING USE RESTRICTIONS:

- Do not apply Savitri Ant Gel to areas where food/feed, food utensils or food processing surfaces may come into contact and become contaminated.
- Do not apply Savitri Ant Gel to areas which are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait could be removed by the washing.
- Do not apply Savitri Ant Gel to surfaces where the temperature exceeds 120 -130° because this could cause the bait to liquely and lose effectiveness.
 - · Examples include, but are not limited to, parts of stoves, ovens, grills, fume hoods, saunas, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.

Refer to product label for complete application and mixing instructions.

©2022 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Savitri™ Ant Gel is not manufactured, or distributed by Syngenta Professional Products, seller of Advion® Ant Gel. Advion® Ant Gel is a registered trademark of a Syngenta Group Company. Savitri™ is a trademark of Atticus, LLC.



KEY INSECTS

Ant species such as;

Acrobat

Argentine

Big-headed

Carpenter Cornfield

Crazy

Field

Ghost

Honey

Little black Odorous house

Pavement

Pyramid

Red imported fire ant

Rover

Thief

White-footed

(Refer to product label for complete list)