



INSECTICIDE



Atruvia™ 3.0% SL



DEFEAT INSECTS WITH ORGANIC, AZADIRACHTIN-BASED PROTECTION

Atruvia™ 3.0% SL is an organic insecticide that controls over 300 pests through starvation and growth disruption in the larval, pupal, and nymphal stages. This product contains 3.0% azadirachtin by weight, a natural limonoid extracted from the Neem tree, and a higher concentration compared to Atruvia 1.2% SL from Atticus. An easy-to-use mix and spray that controls insects without harming most plants or beneficials, Atruvia 3.0% SL is approved for use in indoor and outdoor greenhouses, ornamentals, turfgrasses, and more.

An excellent IPM tool, Atruvia 3.0% SL can be rotated with other synthetic and botanical insecticides. Atruvia 3.0% SL becomes sticky when sprayed and spreads on the plant foliage for thorough coverage and activity where pests feed. It is most effective for soft-bodied insects like aphids, mealybugs, mites, and whiteflies. From greenhouse managers to organic gardeners, Atruvia 3.0% SL offers proven, broad-spectrum control and multiple modes of action.

KEY BENEFITS

- OMRI certified organic insecticide
- High concentration of azadirachtin
- Easy-to-use mix and spray
- Broad-spectrum usage
- Low, 4-hour re-entry interval

KEY USES

Indoor and outdoor:

- Greenhouses
- Home and garden
- Ornamentals
- Outdoor food crops
- Turfgrass

Refer to label for specific use restrictions.

PRODUCT NOTES

EPA REGISTRATION NUMBER
91234-305

ACTIVE INGREDIENT
Azadirachtin 3.0%

FORMULATION
Soluble Liquid

SIGNAL WORD
Caution

PACKAGE SIZE
8 x 1 qt
4 x 1 gal

RESTRICTED USE
No



www.AtticusLLC.com

APPLICATION INFORMATION

Atrevia 3.0% SL is exempt from tolerances and may be applied as directed to any food or non-food crop up to and including the day of harvest at a rate not exceeding 22.5 fl oz per acre per application.

To apply Atrevia 3.0% SL, select a suitable power or pump pressure sprayer or a handheld trigger type sprayer that will deliver a fine spray mist to cover all leaf and fruit surfaces. To get complete spray coverage on waxy or pubescent plant surfaces, adding a suitable surfactant to the spray mix at the specified rates may give better foliage coverage and insect control.

MIXING

Shake well before mixing. Always use this product promptly after mixing with water. Atrevia 3.0% SL will break down in the spray solution if not used within 8 hours. Never allow tank-mix to stand overnight. Atrevia 3.0% SL will break down in spray tank mixtures that have pH values exceeding 7.0. The optimum pH range is between 5.5 and 6.5. For optimum performance, a buffering agent may be used. When mixing with other approved agrichemicals, always ensure proper agitation in the spray tank to ensure uniform application.

Using the use tables in the product label, determine the amount of Atrevia 3.0% SL required for the number of acres to be treated. To a clean spray tank add at least one half the water to be sprayed. Begin agitation and add the determined amount of Atrevia 3.0% SL. Add the remaining water and continue agitation.

Atrevia 3.0% SL disperses freely when added to water. Always use clean equipment. For uniform distribution on plant canopy and proper dilution, always ensure proper agitation in mixing tanks or vessels. When mixing with other agrichemicals, add solid constituents (such as wettable powders, water dispersible granules or micronutrients) last in the form of a slurry.

APPLICATION METHODS AND EQUIPMENT:

Atrevia 3.0% SL can be applied as a foliar spray or a drench to soil or soil-less media (e.g., greenhouses and mushroom houses) to control insects and nematodes. When needed, soil drenches can also be used to control soil-borne pests, including soil-borne larvae of foliar insect pests. When applying as a drench, avoid excessive leaching. Atrevia 3.0% SL may be applied through sub-surface soil treatment equipment (e.g., turf grass). Atrevia 3.0% SL can also be injected into mature trees (landscaping, forestry, residential, etc.) using appropriate tree injection equipment. To repel adult flies, apply through fogging equipment. Always follow equipment manufacturers use directions.

Atrevia 3.0% SL may be applied using any powered or manual pesticide application equipment, which includes but is not restricted to: high-volume, low-volume, ultra-low volume, electrostatic, fogging, and chemigation. Follow the original manufacturer's directions when using these types of equipment.

Refer to product label for complete application and mixing instructions.

©2022 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Atrevia™ is a trademark of Atticus, LLC. 23-EC-0039-B

KEY INSECTS

Aphids
Armyworms
Beetles
Caterpillars
Crickets
Cutworms
Flies
Fungus gnats
Grasshoppers
Grubs
Leaf perforators
Leafhoppers
Leafminers
Leafrollers
Locusts
Loopers
Mealy bugs
Mites
Moths
Mushroom flies
Nematodes
Psyllids
Sawflies
Scales
Thrips
True bugs
Webworms
Weevils
Whiteflies

(Refer to product label for complete list)