

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.06.2025 Page 1 of 12

#### **SECTION 1: Identification**

**Product Identifier** 

**Product Name: Piston TR** 

Product code: EPA Reg. No.: 91234-66

#### Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Aerosol insecticide

**Uses Advised Against:** Any use other than specified above.

Reasons Why Uses Advised Against: Not determined or not applicable.

#### **Manufacturer or Supplier Details**

Manufacturer:

**United States** 

Atticus, LLC 940 NW Cary Parkway

Suite 200

Cary, North Carolina 27513

(984) 465-4754

### **Emergency Telephone Number:**

### **For Chemical Emergency**

**CHEMTREC** 

1-800-424-9300 (24 hours)

+1-703-527-3887 (24 hours)

Collect calls accepted

### **For Emergency Medical Treatment Information**

SAFETYCALL

1-844-685-9173 (24 hours)

### SECTION 2: Hazard(s) Identification

#### **GHS Classification:**

Flammable aerosols, category 1

Eye irritation, category 2A

Specific target organ toxicity - single exposure, category 2

Specific target organ toxicity - single exposure, category 3, narcotic effects

Specific target organ toxicity - repeated exposure, category 2

Aspiration hazard, category 1

Acute aquatic hazard, category 1

Chronic aquatic hazard, category 1

#### **Label elements**

### **Hazard Pictograms:**



According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 10.06.2025** Page 2 of 12

#### **Piston TR**









### Signal Word: Danger **Hazard statements:**

H222 Extremely flammable aerosol

H319 Causes serious eye irritation

H371 May cause damage to organs.

H336 May cause drowsiness or dizziness

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

### **Precautionary Statements:**

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read label before use

P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source

P251 Pressurized container: Do not pierce or burn, even after use

P264 Wash hands and exposed skin thoroughly after handling

P280 Wear protective gloves, protective clothing and eye protection.

P260 Do not breathe mist, vapors or spray.

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well-ventilated area

P273 Avoid release to the environment

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice and attention.

P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 Call a POISON CENTER or doctor if you feel unwell

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 Do NOT induce vomiting

P391 Collect spillage

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P405 Store locked up

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P501 Dispose of contents and container in accordance with federal, state and local regulations.

### Hazards Not Otherwise Classified: None

### **SECTION 3: Composition/Information on Ingredients**

Identification	Name	Weight %
CAS Number: 122453-73-0	Chlorfenapyr	4.5
CAS Number: 67-64-1	Acetone	50-51

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.06.2025 Page 3 of 12

#### **Piston TR**

CAS Number: 106-97-8	Butane	20-25
CAS Number: 74-98-6	Propane	19-21

#### Additional Information:

NOTE: Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### **SECTION 4: First Aid Measures**

#### **Description of First Aid Measures**

#### **General Notes:**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information. For Chemical Emergency: spill, leak, fire, exposure or accident, call CHEMTREC day or night within USA and Canada at 1-800-424-9300 or +1-703-527-3887 (collect calls accepted).

Show this Safety Data Sheet to the doctor in attendance.

#### **After Inhalation:**

Not determined or not applicable.

#### **After Skin Contact:**

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

#### **After Eye Contact:**

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

### **After Swallowing:**

This product presents an aspiration hazard. If aspiration is suspected, seek emergency medical treatment. If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

# Most Important Symptoms and Effects, Both Acute and Delayed Acute Symptoms and Effects:

Pressurized containers are prone to bursting if mishandled and causing physical injury.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

May cause damage to organs. Effects are dependent on exposure (dose, concentration, contact time). Inhalation may have adverse effects on the central nervous system. Symptoms may include drowsiness, dizziness, headache, nausea and lowering of consciousness. Acute overexposure via inhalation may result in respiratory distress, confusion and unconsciousness.

May be fatal if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis. Symptoms may include shortness of breath, dry cough and irritation of the nose, eyes, lips, mouth and throat.

### **Delayed Symptoms and Effects:**

May cause damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of pulmonary edema may be delayed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 10.06.2025** 

#### **Piston TR**

### **Immediate Medical Attention and Special Treatment**

### **Specific Treatment:**

If exhibiting symptoms of exposure, seek prompt medical attention.

Overexposure via inhalation requires urgent medical treatment.

#### **Notes for the Doctor:**

Treat symptomatically.

### **SECTION 5: Firefighting Measures**

### **Extinguishing Media**

#### **Suitable Extinguishing Media:**

Foam, dry chemical, or carbon dioxide (CO2).

#### **Unsuitable Extinguishing Media:**

Do not use water jet.

### Specific Hazards During Fire-Fighting:

Hazardous Combustion Products: Oxides of carbon and nitrogen, hydrogen chloride and fluoride, halogenated hydrocarbons, hydrogen bromide, halogenated compounds and hydrocarbons.

### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode. Use shielding to protect against bursting containers.

#### Special precautions:

Not determined or not applicable.

### **SECTION 6: Accidental Release Measures**

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Not determined or not applicable.

### **Environmental Precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Not determined or not applicable.

#### **Reference to Other Sections:**

For personal protective equipment see Section 8. For disposal see Section 13.

### **SECTION 7: Handling and Storage**

### **Precautions for Safe Handling:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Do not puncture, pressurize or incinerate. Inspect all cylinders and valves for damage. Make sure cylinders are not giving off an odor or making a hissing sound. Never open a damaged valve. Never tamper with safety devices in cylinders, valves or equipment. Handle containers with caution. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in tightly closed original container, when not in use. Do not store below 32 °F. Store in cool, dry

Page 4 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 10.06.2025** Page 5 of 12

#### **Piston TR**

(preferably locked), well-ventilated location out of direct sunlight. Store in an area that is inaccessible to children. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### **SECTION 8: Exposure Controls/Personal Protection**

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States	Chlorfenapyr	122453-73- 0	TWA: 0.3 mg/m³ (BASF)
OSHA	Acetone	67-64-1	PEL: 750 ppm
	Propane	74-98-6	8-Hour TWA-PEL: 1800 mg/m <sup>3</sup> (1000 ppm)
ACGIH	Acetone	67-64-1	Threshold Limit Value (TLV): 500 ppm
	Butane	106-97-8	15-Minute STEL: 1000 ppm
NIOSH	Propane	74-98-6	REL-TWA: 1800 mg/m³ (1000 ppm [up to 10 hr])
	Propane	74-98-6	IDLH: 2100 ppm
	Butane	106-97-8	REL: 1900 mg/m³ (800 ppm [up to a 10-hour workday during a 40-hour workweek])
	Butane	106-97-8	IDLH: 1600 ppm
United States(California)	Propane	74-98-6	8-Hour TWA-PEL: 1800 mg/m <sup>3</sup> (1000 ppm)
	Butane	106-97-8	8-Hour TWA-PEL: 1900 mg/m <sup>3</sup> (800 ppm)

#### **Biological Limit Values:**

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Not determined or not applicable.

### **Appropriate Engineering Controls:**

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### **Personal Protection Equipment**

### **Eye and Face Protection:**

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

### **Skin and Body Protection:**

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Initial Preparation Date: 10.06.2025 Pag

**Piston TR** 

#### **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

### **General Hygienic Measures:**

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### **SECTION 9: Physical and Chemical Properties**

### **Information on Basic Physical and Chemical Properties**

Appearance	Dark amber (aerosol)
Odor	Acetone
Odor threshold	Not determined or not available.
рН	7 - 9 @ 23.8 °C
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	approx155.2 °F (- 104 °C)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	0.83 g/cm3
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	0.43 mPa @ 21.3 °C
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### SECTION 10: Stability and Reactivity

### Reactivity:

Not reactive under recommended handling and storage conditions.

#### **Chemical Stability:**

Stable under recommended handling and storage conditions.

#### **Possibility of Hazardous Reactions:**

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Page 6 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.06.2025 Page

### **Piston TR**

#### **Conditions to Avoid:**

None known.

### **Incompatible Materials:**

Strong acids, bases, and oxidizing agents

### **Hazardous Decomposition Products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological Information**

#### **Acute Toxicity**

Assessment: Based on available data, the classification criteria are not met.

#### **Product Data:**

Route	Result
Oral	LD50 Rat: > 5,000 mg/kg
Dermal	LD50 Rat: > 5,000 mg/kg
Inhalation	LC50 Rat: > 2.05 mg/L (4 hr [aerosol; no mortalities])

#### **Substance Data:**

Name	Route	Result
Chlorfenapyr	oral	LD50 Rat: 626 mg/kg
	inhalation	LC50 Rat: 1.9 mg/L
	dermal	LD50 Rat: > 2,000 mg/kg

#### **Skin Corrosion/Irritation**

Assessment: Based on available data, the classification criteria are not met.

**Product Data:** 

Slightly irritating

#### **Substance Data:**

Name	Result
Chlorfenapyr	Non-irritating (lit.)

### Serious Eye Damage/Irritation

#### **Assessment:**

Causes serious eye irritation.

#### **Product Data:**

Substantial but temporary irritation

### **Substance Data:**

Name	Result
Chlorfenapyr	Corneal opacity, iritis, and conjunctivitis present at 48 hrs., all normal by
	day 7. (lit.)

### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

#### **Product Data:**

Not a contact sensitizer

#### **Substance Data:**

Name	Result
Chlorfenapyr	Not a dermal sensitizer (lit.)

Page 7 of 12

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 10.06.2025** Page 8 of 12

#### **Piston TR**

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** 

Name	Species	Result
Chlorfenapyr		EPA: Suggestive evidence of carcinogenicity, but not sufficient to
		address human carcinogenic potential

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

**OSHA Carcinogens:** Not applicable

### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available. **Substance Data:** 

Name	Result
Chlorfenapyr	No evidence of mutagenic effects during in vivo and in vitro assays.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available. **Substance Data:** 

Name	Result
Chlorfenapyr	No evidence of reproductive or developmental toxicity in animal studies.

### Specific Target Organ Toxicity (Single Exposure)

#### **Assessment:**

May cause damage to organs.

May cause drowsiness or dizziness.

#### **Product Data:**

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

Substance Data: No data available.

#### Specific Target Organ Toxicity (Repeated Exposure)

#### **Assessment:**

May cause damage to organs through prolonged or repeated exposure.

#### **Product Data:**

Repeated exposure may affect certain organs. Affects the central nervous system.

**Substance Data:** No data available.

### Aspiration toxicity

#### **Assessment:**

May be fatal if swallowed and enters airways.

#### **Product Data:**

Vomiting may cause aspiration pneumonia due to the ingredients.

Substance Data: No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 10.06.2025** Page 9 of 12

#### **Piston TR**

No data available.

#### Other Information:

Information in this section is provided from a similar formulation.

### **SECTION 12: Ecological Information**

### Acute (Short-Term) Toxicity

#### **Assessment:**

Very toxic to aquatic life.

Very toxic to freshwater and estuarine/marine fish and invertebrates.

Very toxic to birds on an acute basis (Bobwhite quail oral LD50: 34 mg/kg; Mallard oral LD50: 8.3 mg/kg).

Very toxic to honeybees on an acute contact exposure basis (Contact LD50: 0.12 μg/bee).

Product Data: No data available.

#### **Substance Data:**

Name	Result
Chlorfenapyr	Fish LC50 Rainbow trout: 0.00744 mg/L
	Aquatic Invertebrates EC50 Daphnia: 0.00583 mg/L
	Aquatic Invertebrates EC50 Mysidopsis bahia: 0.00203 mg/L
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 0.132 mg/L

#### Chronic (Long-Term) Toxicity

#### **Assessment:**

Very toxic to aquatic life with long lasting effects.

Product Data: No data available. Substance Data: No data available.

Persistence and Degradability Product Data: No data available. Substance Data: No data available.

**Bioaccumulative Potential** 

Product Data: No data available. Substance Data: No data available.

**Mobility in Soil** 

Product Data: No data available. Substance Data: No data available. Results of PBT and vPvB assessment

#### **Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB** assessment: This product does not contain any substances that are assessed to be a vPvB.

## **Substance Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB** assessment: This product does not contain any substances that are assessed to be a vPvB.

Other Adverse Effects: No data available.

### **SECTION 13: Disposal Considerations**

#### **Disposal Methods:**

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Do not contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.06.2025 Page 10 of 12

### **Piston TR**

for guidance.

### **Contaminated packages:**

CONTAINER DISPOSAL: Nonrefillable and refillable containers. Refer to the product label for specific container disposal instructions.

### **SECTION 14: Transport Information**

### **United States Transportation of Dangerous Goods (49 CFR DOT)**

UN Number	UN1950
UN Proper Shipping Name	Aerosols, flammable. N.O.S. (hydrocarbon propellent, chlorfenapyr)
UN Transport Hazard Class(es)	2.1
Packing Group	None
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### **International Maritime Dangerous Goods (IMDG)**

UN Number	UN1950
UN Proper Shipping Name	Aerosols, flammable, N.O.S. (hydrocarbon propellent, chlorfenapyr)
UN Transport Hazard Class(es)	2.1
Packing Group	None
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	UN1950

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 10.06.2025** Page 11 of 12

### **Piston TR**

UN Proper Shipping Name	Aerosols, flammable, N.O.S. (hydrocarbon propellent, chlorfenapyr)
UN Transport Hazard Class(es)	2.1
Packing Group	None
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### SECTION 15: Regulatory Information

### **United States Regulations**

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

ERCLA:		
67-64-1	Acetone	Listed 5000 lbs
CRA: None of the	e ingredients are listed.	
ection 112(r) of	the Clean Air Act (CAA):	
74-98-6	Propane	Listed
106-97-8	Butane	Listed
lassachusetts R	ight to Know:	·
67-64-1	Acetone	Listed
74-98-6	Propane	Listed
106-97-8	Butane	Listed
ew Jersey Right	t to Know:	·
67-64-1	Acetone	Listed
74-98-6	Propane	Listed
106-97-8	Butane	Listed
lew York Right 1	to Know:	•
67-64-1	Acetone	Listed
	<b>i</b>	

67-64-1	Acetone	Listed
74-98-6	Propane	Listed
106-97-8	Butane	Listed

### Pennsylvania Right to Know:

67-64-1	Acetone	Listed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 10.06.2025 Page 12 of 12

#### **Piston TR**

74-98-6	Propane	Listed
106-97-8	Butane	Listed

**California Proposition 65:** None of the ingredients are listed.

#### Additional information:

FIFRA: All pesticides are governed under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The regulatory information presented outside of this FIFRA section is pertinent only when this product is handled outside of normal use and application as a pesticide. This product is excluded from listing requirements under EPA/TSCA. The following is the hazard information as required on the pesticide label:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes substantial but temporary eye injury. DO NOT get in eyes or on clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. DO NOT puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions For Use on the label very carefully.

#### **SECTION 16: Other Information**

# **Abbreviations and Acronyms:** None **Disclaimer:**

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. To the extent consistent with applicable law, neither Atticus, LLC nor Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ATTICUS, LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ATTICUS, LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Initial Preparation Date: 10.06.2025

**End of Safety Data Sheet**