

Contains metsulfuron-methyl, the active ingredient used in Escort® XP.



## HERBICIDE



## SELECTIVE POSTEMERGENCE WEED & BRUSH CONTROL AT ULTRA-LOW USE RATES

Azion™ XP herbicide, powered by the active ingredient metsulfuron-methyl, provides postemergence broadleaf weed and brush control across a range of use sites including warm-season turf species, ornamentals, native grass areas, rangeland and pastures, conifer and hardwood plantations, rights-of-ways, and other vegetation management sites. This broad-spectrum herbicide tackles the most challenging annual and perennial weeds, brush, and vines without harming desirable grasses.

The ultra-low use rates and comprehensive label make Azion XP an easy choice for turf, vegetation management and crop professionals. Metsulfuron-methyl inhibits production of key amino acids, preventing cell division and stopping growth, and ultimately eliminating weeds in as little as two weeks. With Azion XP's versatility and desirable attributes, professional end-users can confidently conquer their most troublesome weeds and brush.

### KEY BENEFITS

- Controls 75+ different weeds and brush
- Residual control up to six weeks
- No grazing restrictions at labeled rates
- Ultra-low use rates
- Excellent tank-mix partner

### KEY USES

- Conifer & Hardwood Plantations
- Golf Courses
- Lawns
- Native Grasses
- Rangeland & Pastures
- Rights-of-way
- Sod Farms



### PRODUCT NOTES

**EPA REGISTRATION NUMBER**  
91234-342

**ACTIVE INGREDIENT**  
Metsulfuron-methyl 60.0%

**FORMULATION**  
Water Dispersible Granule

**HRAC NUMBER**  
2

**SIGNAL WORD**  
Caution

**PACKAGE SIZE**  
8 x 8 wt oz  
4 x 64 wt oz

**RESTRICTED USE**  
No

*Refer to label for specific use restrictions.*



Relevant. Simple. Reliable.

## USE HIGHLIGHTS

Although Azion XP has pre-emergence activity, best results are generally obtained when Azion XP is applied to foliage after emergence or dormancy break. Generally, for the control of annual weeds, Azion XP provides best results when applied to young, actively growing weeds. For the control of perennial weeds, applications made at the bud or bloom stage or while the target weeds are in the fall rosette stage may provide the best results. The use rate depends upon the weed species and size at the time of application. Applications may be made at any time of the year, except when the ground is frozen.

Azion XP may be applied on conifer and hardwood plantations and non-crop sites that contain areas of temporary surface water caused by the collection of water between planting beds, in equipment ruts, or in other depressions created by management activities. It is permissible to treat intermittently flooded low-lying sites when no water is present. It is also permissible to treat marshes, swamps, and bogs after water has receded as well as seasonally dry food deltas.

- Do not apply more than 4 ounces of Azion XP per acre per year.
- Do not apply more than 4 ounces of Azion XP per acre per application.
- Do not exceed 1 application per year.
- Do not make applications to natural or man-made bodies of water including lakes, reservoirs, ponds, streams, and canals.
- Do not use on irrigation ditches.

*Refer to product label for complete application and mixing instructions.*

©2023 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Azion™ XP is not manufactured, or distributed by Bayer Environmental Science, seller of Escort® XP. Escort® is a registered trademark of Bayer. Azion™ is trademark of Atticus, LLC.

## KEY WEEDS

Annual sow thistle  
Aster  
Bahia grass  
Beebalm  
Bittercress  
Blackberry  
Black-eyed Susan  
Black henbane  
Broom snakeweed  
Buckhorn plantain  
Bull thistle  
Canada thistle  
Chicory  
Clover  
Cocklebur  
Common; chickweed, crupina, ground-sel, mullein, purslane, sunflower, tansy, yarrow  
Crown vetch  
Dandelion  
Dewberry  
Dyer's woad  
False chamomile  
Field; bindweed, pennycress  
Fiddleneck tarweed  
Flix weed  
Gumweed  
Gorse  
Halogeton  
Henbit  
Honeysuckle  
Kudzu  
Lambs quarters  
Lupine  
Miners lettuce  
Musk thistle  
Mustard; blue, tansy, treacle, tumble  
Oxeye daisy  
Pennsylvania smartweed  
Plantain  
Plumeless thistle  
Poison hemlock  
Purple; loosestrife, scabious  
Redroot pigweed  
Redstem filaree  
Roserine gaillardia  
Rough fleabane  
Russian knapweed  
Scotch thistle  
Sericea lespedeza  
Shepherd's-purse  
Smooth pigweed  
St. Johnswort  
Sweet clover  
Tansy ragwort  
Teasel  
Whiteweed (hoary cress)  
Wild; carrot, garlic, iris, lettuce, mustard, parsnip  
Woolly croton  
Wood sorrel  
Yankee weed  
Yellow toadflax

*(Refer to product label for complete list)*