

TiradeTM

1% DUST

Contains cyfluthrin, the active ingredient used in Tempo[®] 1% Dust.

(% by weight)

| | |
|---|--------|
| ACTIVE INGREDIENT: | |
| Cyfluthrin, cyano(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2, 2-dimethylcyclopropane-carboxylate | 1.0% |
| OTHER INGREDIENTS: | 99.0% |
| TOTAL: | 100.0% |

EPA Reg. No. 91234-293

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you DO NOT understand the label, find someone to explain it to you in detail.)

See below for additional Precautionary Statements.

| FIRST AID | |
|---|--|
| If swallowed: | <ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give anything by mouth to an unconscious person. |
| If on skin or clothing: | <ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| If in eyes: | <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| Note to Physician: No specific antidote is available. Treat the patient symptomatically. | |
| HOT LINE NUMBER | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information. | |

For Chemical Emergency: Spill, Leak, Fire, Exposure, or Accident,

Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 or +1 703-527-3887 (collect calls accepted)

TiradeTM 1% Dust is not manufactured, or distributed by Bayer Environmental Science, seller of Tempo[®] 1% Dust.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Avoid breathing dust. **DO NOT** contaminate feed or food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other aquatic organisms. **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix or allow to come in contact with any oxidizing agent. Hazardous chemical reaction may occur.

| PRODUCT FACTS | |
|--|--|
| <ul style="list-style-type: none"> ▪ Ready-to-use ▪ Low-odor ▪ Non-staining | |
| Tirade 1% Dust | Contains 1% cyfluthrin |
| CONTROLS | <ul style="list-style-type: none"> ▪ Ants, cockroaches, and other crawling pests ▪ Bees and wasps ▪ Pantry and stored product pests ▪ Wood-infesting pests ▪ For specific insects, see inside label |
| WHERE TO APPLY | In and around buildings and structures. |
| COVERAGE | Treats up to 2,500 square feet. |
| HOW TO APPLY | Directly in voids, cracks and crevices. For bees, wasps and ant mounds, see directions inside. Use appropriate dusting or injection equipment. |
| RE-APPLY | Every 7 to 10-days, if needed. |
| QUESTIONS? | For questions or comments, contact Atticus, LLC at 984-465-4754. |

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For both indoor and outdoor use.

APPLICATION RESTRICTIONS

- **DO NOT** water the treated area to the point of run-off.
- **DO NOT** make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- **DO NOT** apply the product into fish pools, ponds, streams, or lakes. **DO NOT** apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- **DO NOT** apply by using your hand or using a spoon to scatter product.
- **DO NOT** allow the product to enter any drain during or after application.
- **DO NOT** apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

| PESTS | |
|---|--|
| For residual pest control in and around buildings, structures, non-food/feed areas of food/feed handling establishments and modes of transport, including houses, hotels, motels and other non-food areas of stores, warehouses, hospitals, food processing facilities, and modes of transport. For a list of common facilities where this product may be used, see APPENDIX . | |
| General Household Pests | |
| Crawling Pests Ants (except Pharaoh) Bedbugs Boxelder bugs Carpet beetles Centipedes Clothes moths Cockroaches Crickets Earwigs Firebrats Ground beetles | Millipedes Pillbugs Scorpions Silverfish Sowbugs Spiders Flying Pests Bees Hornets Wasps Yellow jackets |
| Pantry and Stored Product Pests | |
| Beetles (exposed adults & immature stages) Cadelle Cigarette Confused flour Darkling Dermestid Granary weevil Hide Larder Leather | Lesser grain borer Lesser mealworm Merchant grain Mealworm Red flour Rice weevil Sawtoothed grain Warehouse Moths Indian meal Mediterranean flour |

(continued)

| PESTS (continued) | |
|---|--|
| Wood-Infesting Pests* | |
| Beetles Ambrosia Deathwatch False powderpost Old house borer Powderpost Carpenter ants Carpenter bees | Termites Subterranean Formosan Drywood |
| <p>*DO NOT use this product as the sole source of control for active, structural infestations by subterranean termites; the purpose of this application is to kill workers or winged reproductive forms of termites which are present at the time of treatment. It is not intended to provide structural pest control. It is not a substitute for mechanical alteration, soil and foundation treatment, but merely a supplement. For active, structural infestations by subterranean termites, this product can only be used to supplement a federally registered conventional product that is registered as a sole source for termite control. This product will not eliminate termite infestations or provide protection against future infestation.</p> | |

| | |
|--|--|
| WHERE TO APPLY | <ul style="list-style-type: none"> Apply where pests have been seen or found or can find shelter. In living areas, avoid deposits on exposed surfaces and avoid introducing the dust into the air. Apply in wall voids, cracks and crevices; in or behind base boards, service ducts, false floors and ceilings; around electrical entrances, water and sewer pipe entrances; under and behind cabinets, refrigerators, and sinks; in equipment legs and bases; window and door frames; in attics and crawl spaces. For specific sites, see APPENDIX. |
| USE RATE HOW TO APPLY (Also see APPLICATION FOR PESTS) | <ul style="list-style-type: none"> 0.5 lb to 1 lb (0.005 - 0.01 lb ai) of Tirade 1% Dust per 1000 square feet. Apply directly into voids, cracks and crevices using a hand duster or power duster or other equipment designed for such use. Apply lightly and uniformly. |
| WHEN TO APPLY | <ul style="list-style-type: none"> When pests are seen or found. Every 7 to 10 days, if needed. |
| RESTRICTIONS | <ul style="list-style-type: none"> In living areas, avoid deposits on exposed surfaces and avoid introducing the dust into the air. DO NOT use in aircraft cabins. DO NOT apply in any rooms while the elderly or infirm are present. DO NOT apply in occupied classrooms. DO NOT apply to clothing. DO NOT apply to food/feed areas of commercial food/feed handling establishments, restaurants, or other commercial establishments where food/feed is commercially prepared, processed or served. DO NOT apply to animal feedstuffs or watering equipment. |

| APPLICATION FOR PESTS | |
|---|--|
| CRAWLING PESTS | |
| Ants | Apply to voids, cracks and crevices in and around doors and windows, baseboard cracks, and other places where ants enter structures. |
| Bedbugs | Apply to furniture areas, mattress folds and tufts, spring coils, cracks or hollow places in bed frames, furniture upholstery, and picture frame moldings. Let powder remain on treated surfaces for 4 to 6 hours, then vacuum the powder thoroughly, dispose of the vacuum bag properly, and place clean linens on the bed. |
| Carpet beetles | Apply under edges of floor coverings, baseboard cracks, under rugs and furniture, and in cracks and crevices in closets. |
| Clothes moths and silverfish | Apply to cracks and crevices in closets and other storage areas. This is an adjunct treatment and will not control moth larvae and silverfish already on the clothes. DO NOT apply to clothing. |
| Fire Ants (including Red Harvester Ants, and Pavement Ants) | <p>USE RATE: 2 to 6 teaspoons (0.0002 - 0.0007 lb ai) of Tirade 1% Dust per mound.</p> <p>Avoid disturbing the mound before applying. If possible, treat all colonies in the area. Distribute the product evenly over each mound and around the perimeter of the mound (about 18 inches from the outer edge); use the higher labeled rates for larger mounds.</p> <p>For best results, water mounds gently after applying. High water pressure will cause the ants to move the mound. Treat new mounds as they appear.</p> |
| FLYING PESTS | |
| Bees Hornets Wasps Yellow jackets | Thoroughly dust nests and entrances and surrounding areas. To treat nests in wall voids, drill a hole in the area, dust entrance and surrounding areas. Wear protective clothing if necessary to avoid stings. You may also help avoid stings by treating wasp and bee nests in the evening when the insects are less active and are inside the nest. For best results, check nests within one or two days to ensure complete kill. Remove and destroy treated nests to prevent emergence of newly hatched insects, secondary pest problems, and possible staining from honey. If removal is not possible, retreat the nest, if necessary. |
| PANTRY & STORED PRODUCT PESTS | |
| Beetles and Moths | Clean area thoroughly, removing infested foodstuffs and all utensils, uncovered foodstuffs (or any with opened package), shelf paper and other objects. Apply in voids, cracks and crevices behind and under cupboards, food storage areas, and cabinets. DO NOT apply directly on food, utensils, or food storage shelves. |
| WOOD-INFESTING PESTS | |
| Termites and wood-infesting beetles | Apply to voids and galleries in damaged wood, in spaces between wooden structural members, and between the sill plate and foundation where wood is vulnerable. For inaccessible areas, drill into the damaged wood or wall voids and then inject dust using a suitable directional injector. Note that drilling and treating may not give complete coverage of infested and vulnerable voids or galleries. |

(continued)

| APPLICATION FOR PESTS <i>(continued)</i> | |
|--|---|
| WOOD-INFESTING PESTS <i>(continued)</i> | |
| Termite carton nests | Termite carton nests in building voids may be injected with a pointed injection tool at varying depths. For best results, remove carton nests material when possible. |
| Above-ground termites and carpenter ants | For control inside trees, utility poles, fencing and decking materials and similar structural members, drill to find the interior infested cavity and inject dust. |
| Carpenter ants | Treat wall voids by access around electrical entrances, water lines or similar openings. Apply to voids, cracks and crevices in and around doors and windows, under fascia boards, top of sill plate, cracks and crevices in crawl space, under shingles, behind gutters, and other areas where carpenter ants may enter. |
| Carpenter bees | Apply directly into gallery entrance holes. Leave entrance holes open for 24 hours after treatment to be sure that returning bees are also killed. When there is no activity, seal the hole with a suitable sealant. |

| APPENDIX | |
|--|--|
| FOR RESIDUAL PEST CONTROL IN AND AROUND BUILDINGS Permitted areas of use include: | |
| animal quarters and kennels apartment buildings bakeries bottling facilities breweries cafeterias candy plants cereal processing and manufacturing plants correctional facilities dairies and dairy product processing plants day care centers frozen food plants grain mills granaries greenhouses (structures only) grocery stores and supermarkets hospitals (see RESTRICTIONS) hotels and motels houses industrial buildings and installations kitchens | laboratories livestock housing structures manufacturing establishments mausoleums pet kennels meat and produce canneries mobile homes and recreational vehicles nursing homes (see RESTRICTIONS) pickle factories restaurants schools (see RESTRICTIONS) spice plants stores and institutions theaters utility vaults and conduits warehouses wineries and similar structures zoos transportation vessels including aircrafts (see RESTRICTIONS), buses, trucks, trailers, rail cars, and marine vessels |

(continued)

| APPENDIX <i>(continued)</i> |
|---|
| FOR FOOD/FEED HANDLING ESTABLISHMENTS |
| <p>Tirade 1% Dust applications are permitted in non-food/feed areas of food handling establishments only as a void or crack and crevice treatment. It is not permitted in the food/feed areas of food/feed handling establishments.</p> <p>Food/feed handling establishments are defined as places other than private residences where exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food. Serving areas where food is exposed and the facility is in operation are also considered food areas. Non-food/non-feed handling areas of food/feed handling establishments: garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).</p> |

| STORAGE AND DISPOSAL |
|--|
| <p>DO NOT contaminate water, food or feed by storage or disposal.</p> <p>PESTICIDE STORAGE: Store in a tightly closed container in a cool, dry place. Store in original container and out of reach of children, preferably in a locked storage area.</p> <p>PESTICIDE DISPOSAL: Pesticide or rinsate that cannot be used should be disposed of in a landfill approved for pesticides. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.</p> <p>CONTAINER HANDLING:</p> <p>Bag: Nonrefillable outer bag. DO NOT reuse or refill the outer bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.</p> <p>Plastic Container: Nonrefillable container. DO NOT reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.</p> |

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

Tirade™ is a trademark of Atticus, LLC.

Tempo® is a registered trademark of Bayer.

20230825bp1

SPECIMEN