

RAPID KNOCKDOWN CONTROL OF UNWANTED WEEDS

PMRA REG. NUMBER
35229

ACTIVE INGREDIENT
Glufosinate-ammonium
150 g/L

FORMULATION
Solution

HRAC NUMBER
10

SIGNAL WORD
Warning Poison

PACKAGE SIZE
500 L

RESTRICTED USE
No

Flamora™ 150 SN provides control of grassy and broadleaf weeds in canola and soybean varieties or hybrids that are specially developed to be tolerant to glufosinate ammonium.

- Works as a contact herbicide to deliver nonselective control of weeds
- Excellent rotational product for herbicide resistance management
- Tank-mix compatibility with select herbicides for enhanced activity

KEY CROPS



CANOLA



SOYBEANS

KEY WEEDS CONTROLLED



TARGET GRASSY
& BROADLEAF
WEEDS

- | | | |
|--------------------|-------------------------|--------------------|
| • Barnyard Grass | • Lady's-thumb | • Smartweed |
| • Canada Thistle | • Lamb's-quarters | • Stinkweed |
| • Cleavers | • Perennial Sow Thistle | • Stork's-bill |
| • Common Chickweed | • Pigweed | • Volunteer Barley |
| • Cow Cockle | • Quackgrass | • Volunteer Flax |
| • Dandelion | • Redroot | • Volunteer Wheat |
| • Flixweed | • Round-leaved Mallow | • Wild Buckwheat |
| • Green Foxtail | • Russian Thistle | • Wild Oats |
| • Hemp-nettle | • Scentless Chamomile | • Wild Mustard |
| • Kochia | • Shepherd's-purse | |

WATER VOLUME



GROUND APPLICATION: 45 L/ac (10 gal/ac)

AERIAL APPLICATION: 22 L/ac (6 gal/ac)

RESOURCES



PORTFOLIO



Bootstrapped and ready to serve, we deliver battle-tested chemistries and an experience like no other. Proud to be 100% American-owned, our mission is to help you every step of the way.

RATES FOR KEY WEEDS CONTROLLED

1.33 L/HA

Cow Cackle

Green Foxtail Maximum 3 Tillers

2 L/HA

Barnyard Grass

Lady's Thumb

Lamb's-quarters

Russian Thistle Up to 8 cm height

Smartweed

Stinkweed

Volunteer Flax Up to 6 cm height

Wild Mustard

2.67 L/HA

Canada Thistle¹ Up to 10 cm height

Common Chickweed Leaf Pairs

Hemp-nettle Leaf Pairs

Kochia Up to 8 cm height

Perennial Sow Thistle

Quackgrass¹

Redroot

Pigweed

Round-leaved Mallow

Scentless Chamomile Up to 10 cm height

Shepherd's-purse

Volunteer Barley² Maximum 2 Tillers

Volunteer Wheat Maximum 2 Tillers

Wild Buckwheat

3.33 L/HA

Cleavers

Whorls

Dandelion

1-15 cm rosette

Flixweed

Up to 10 cm height

Hemp-nettle

Leaf Pairs

Stork's-bill

Wild Oats

Maximum 2 Tillers

Canada Thistle¹

Up to 10 cm height

Quackgrass¹

Volunteer Barley²

Maximum 2 Tillers

Volunteer Wheat

Maximum 2 Tillers

Wild Buckwheat

4 L/HA

Canada Thistle³ Up to 10 cm height

Quackgrass⁴

¹Top Growth Suppression Only

²Suppression Only

³Better Top Growth Suppression

⁴Season-long Control for Heavy Populations

SECOND APPLICATION: CANOLA

A second application of Flamora 150 SN can be made to canola treated initially with up to 4 L/ha if new weed germination or growth is present. This first application of up to 4 L/ha may be followed by a second application of up to 3.33 L/ha. Do not apply more than a total of 7.33 L/ha per year.

- **Rainfastness:** If rainfall occurs within 4 hours of application, effectiveness may be reduced
- **Tankmixes and Mixing Order:** Talk to your retailer agronomist for recommendation and guidance