TECHNICAL INFORMATION BULLETIN

FLUTRIAFOL	GROUP	3	FUNGICIDE

RONDEL™

EPA Reg. No. 91234-384

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted by Section 2(ee) of FIFRA and has not been submitted to or approved by the U.S. Environmental Protection Agency.

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF CALIFORNIA

For Control of Powdery Mildew in Pome and Stone Fruit via Drip Chemigation

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This product bulletin must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for **Rondel™** before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

CROP	DISEASES	RATE (fl. oz./A)	APPLICATION DIRECTIONS	Retreatment Interval (Days)
Pome Fruit (See label for list of pome fruit)	Powdery Mildew *Podosphaera leucotricha*	6 (0.098 lb. ai)	Apply preventatively or when conditions are favorable for disease development. Repeat as necessary.	7
Stone Fruit (See label for list of stone fruit)	Powdery mildew *Podosphaera clandestina*	7 (0.144 lb. ai)		7
When applied as directed through drip irrigation and microsprinklers, Rondel will prevent powdery mildew on the foliage of pome and stone fruit.				

Atticus

Manufactured for:
Atticus, LLC
940 NW Cary Parkway, Suite 200
Cary, NC 27513